

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator PASSAMAQUODDY CHILDREN'S CENTRE INC.	Licence Number 102001	Inspection Date November 24, 2021
Facility Name PASSAMAQUODDY DAY CARE CENTRE		Telephone Number (506) 529-3072
Address 390 Montague Street Saint Andrews NB E5B 1J8		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	Oct 25, 2021	Nov 24, 2021
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Deficiency is now compliant	21(a) – (d)	Oct 25, 2021	Nov 24, 2021
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, Comments: Deficiency is now compliant	24(1)(b)(iv)	Oct 25, 2021	Nov 24, 2021
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (b) the weekly menus. Comments: Deficiency is now compliant	25(b)	Oct 25, 2021	Nov 24, 2021
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy. Comments: Deficiency is now compliant	25(g)	Oct 20, 2021	Nov 24, 2021
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Front entry - door and frame unclean and in poor repair. To be cleaned and painted. Previous comply by date - Nov 15, 2021	28(3)(a)	Dec 01, 2021	
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Oct 25, 2021	Nov 24, 2021

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Dec 01, 2021	
Comments: Infant Outdoor Play Area: Mud kitchen - Screws protruding. To be repaired. Wooden spool tables - in poor repair. To be replaced or repaired. Tonka Truck - broken. To be replaced. School-Age Outdoor Play Area: Picnic tables - paint chipping and in poor repair. To be replaced or repaired. Previous comply by date - Nov 15, 2021			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Nov 01, 2021	Nov 24, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Nov 15, 2021	Nov 24, 2021
Comments: Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Dec 01, 2021	
Comments: School-Age Outdoor Play Area: Lacking in outdoor materials and equipment. A variety of out door play materials to be added to this play area. See Appendix 24 - Equipment and Materials for School-Age Children of the Operator's Manual for examples. Previous Comply by Date - Oct 18, 2021			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Oct 20, 2021	Nov 24, 2021
Comments: Deficiency is now compliant			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Oct 20, 2021	Nov 24, 2021
Comments: Deficiency is now compliant			
48(3) An operator of a licensed facility shall provide weekly menus to a parent or guardian of a child at least three days in advance of serving the food and shall modify the food served in the case of special nutritional requirements of a child.	48(3)	Oct 22, 2021	Nov 24, 2021
Comments: Deficiency is now compliant			

General Comments

Follow Up Inspection:

During visit today the Fire Alarm was activated. Children and educators were observed throughout the evacuation procedure.

Work order has been submitted to QA Monitor for outdoor play area painting in the spring. QA Monitor will follow up on exterior painting at Monitor Inspection.

original signed by
Britta Garnett

November 24, 2021

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Courtney James

November 24, 2021

Signature of Operator/Designate

Date