

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

|   |                          |   |                |
|---|--------------------------|---|----------------|
| Name of operator<br>COURTENAY AVENUE DAYCARE (2018) INC.  | Licence Number<br>245035 | Inspection Date<br>December 14, 2021        |                |
| Facility Name<br>COURTENAY AVENUE DAYCARE 2018  |                          | Telephone Number<br>(506) 634-8418          |                |
| Address<br>133 Courtenay Avenue Saint John NB E2J 1N4   |                          |   |                |
| Name of Early Learning and Childcare Licensing Staff<br>Britta Garnett  |                          | Position Title<br>Quality Assurance Monitor |                |
| Order for Compliance  | Regulation               | Date to be corrected                        | Date corrected |
| 21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. | 21(a) – (d)              | Dec 31, 2021                                |                |
| Comments: Renewal Inspection and Follow Up Inspection not posted on Parent Board. To be posted.   |                          |   |                |
| 25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer.   | 25(c)                    | Dec 20, 2021                                |                |
| Comments: Evacuation procedures and floor plan drawing not posted at back exits or on Parent Board. To be posted.   |                          |   |                |
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.   | 28(3)(a)                 | Jan 17, 2022                                |                |
| Comments: Walls and trim in hallways, around hooks and in stairway in poor repair. To be repaired and painted. Stairs and railing - paint chipping. To be painted.  |                          |   |                |
| 30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.  | 30(3)                    | Jan 17, 2022                                |                |
| Comments: Preschool Room:<br>Screw protruding from window trim. To be repaired.<br><br>Walls and trim throughout facility paint chipping. To be painted.  |                          |   |                |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.   | 31(3)                    | Dec 20, 2021                                |                |
| Comments: Outdoor Play Structure:<br>Net on side of play structure with loop causing an entanglement hazard. To be repaired.<br>QA Monitor discussed with Administrator during inspection.  |                          |   |                |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.   | 32(1)(a)                 | Jan 10, 2022                                |                |

| Order for Compliance  | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| <p>Comments: School-Age Room:<br/>Dramatic play materials depleted. Examples of items to add, but not limited to: costumes, hats, scarves, purses, office supplies, restaurant items, clipboards, cash register, money, pretend food, real life items, loose parts, tools, items that support the children's interests.<br/>See Appendix 24 in the Operator Manual - Materials and Equipment for School-Age Children</p> <p>Preschool and School-Age Rooms:<br/>Plain white paper depleted from Art Areas. To be added.</p> |            |                      |                |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (c) in compliance with the Canada Consumer Product Safety Act (Canada) and the regulations under that Act.   | 32(1)(c)   | Dec 20, 2021         |                |
| <p>Comments: Preschool Room:<br/>Buttons, beads and gems accessible to children under three years old. Discussed with staff that these items must be kept out of reach of children in the current age group, as they are choking hazards. These may be used under direct supervision.</p>   |            |                      |                |
| 50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility.   | 50(1)      | Jan 10, 2022         |                |
| <p>Comments: Incident Logs kept in child files.<br/>Incident Logs to be maintained in a binder/file in chronological order.<br/>Discussed the difference between Incident Log and Reportable Incident Forms with Administrator.</p>   |            |                      |                |

| General Comments   |
|--|
| <p>Renewal Inspection:</p> <p>Preschool children observed during outdoor play and rest time today. Educators observed engaging in conversations with the children at their level.</p> <p>Photos of the children are posted throughout the environment. Next steps: adding descriptions to photos, connections to NB Curriculum Framework and next steps.</p> <p>Recommendations:</p> <ul style="list-style-type: none"> <li>- adding items collected from nature to indoor environments</li> <li>- adding more materials that support the children's current interests</li> </ul> <p>Discussed the use of Bingo Daubers with Administrator. Bingo Daubers are toxic and not to be used with children. Replace with a Non-Toxic Version (ie: Do-a-Dot).</p> |

original signed by  
**Britta Garnett**

---

Signature of Early Learning and Childcare Licensing Staff

December 14, 2021

---

Date

original signed by  
**Kayla Defazio**

---

Signature of Operator/Designate

December 14, 2021

---

Date