

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator COURTENAY AVENUE DAYCARE (2018) INC.	Licence Number 245035	Inspection Date January 07, 2025	
Facility Name COURTENAY AVENUE DAYCARE 2018		Telephone Number (506) 634-8418	
Address 133 Courtenay Avenue Saint John NB E2J 1N4			
Name of Early Learning and Childcare Licensing Staff Kiesha Cobbett		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Dec 12, 2024	Dec 19, 2024
Comments: School-age Washroom: Footstool dirty. To be cleaned or discarded. Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	Nov 27, 2024	Dec 19, 2024
Comments: Preschool Room: Emergency exit obstructed with shoes and extra classroom materials. Fire exit should remain free of clutter at all times. Conversation with operator to install shelving as a means of reducing clutter in front of the fire exit. Quality Assurance Monitor to follow-up in the next two months. Shoes to be removed immediately. Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Dec 12, 2024	Dec 19, 2024
Comments: Preschool Room: Art materials depleted. Materials to be added such as a variety of glue, tape, glitter, q-tips, popsicle sticks, feathers, kitchen utensils that provide unique prints (potato masher), spray bottles filled with water or paint, sponges, dental floss for string painting Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Dec 12, 2024	Dec 19, 2024
Comments: School-age Room: Bookshelf accumulating dirt and debris. To be cleaned. Deficiency is now compliant			
50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility.	50(1)	Dec 12, 2024	Dec 19, 2024
Comments: Incident logs are to be filed chronologically by date in a folder or binder so that ELC licensing staff can easily access the information. Operator to create binder/folder for incident logs moving forward. Deficiency is now compliant			

General Comments

A follow-up inspection occurred today.

All deficiencies are now compliant.

Facility is recommended for licensing pending Fire recommendation.

original signed by
Kiesha Cobbett

Signature of Early Learning and Childcare Licensing Staff

December 19, 2024

Date

original signed by
Daoud Jaouni

Signature of Operator/Designate

December 19, 2024

Date