

## Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		Number			Inspection Date		
WEST SIDE COOP PRESCHOOL LTD. 256001					November 27, 2023		
Facility Name					Telephone Number		
WEST SIDE COOP PRESCHOOL				(506) 635-8294			
Address							
50 Dexter Drive Saint John NB E2M 4M4							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Andrea Sabean			Administrative Assistant				
Order for Compliance		Regulation		Date to be corrected		Date corrected	
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.		21(a	a) – (d) Nov 13, 2023		3, 2023	Nov 24, 2023	
Comments: Deficiency is now compliant							
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.		24(1)(f) Oc		Oct 1	8, 2023	Nov 24, 2023	
Comments: Deficiency is now compliant							
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer.		25(c) N		Nov 1	3, 2023	Nov 24, 2023	
Comments: Deficiency is now compliant							
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.		28(3)(a)		Oct 2	3, 2023	Nov 24, 2023	
Comments: Deficiency is now compliant							
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.		30(3) Oct		Oct 2	3, 2023	Nov 24, 2023	
Comments: Deficiency is now compliant							
General Comments							
All orders now compliant. Recommended for licensing, pending Fire recommendation.							

Signature of Early Learning and Childcare Licensing Staff

November 27, 2023

Date

Signature of Operator/Designate

Date