

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Boys & Girls Club of Saint John, Inc.	Licence Number 258020	Inspection Date November 06, 2020	
Facility Name The Boys & Girls Club of Saint John Funday After School		Telephone Number (506) 634-0201	
Address 1 Paul Harris Street Saint John NB E2L 3V9			
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Oct 09, 2020	Oct 26, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Oct 09, 2020	Oct 26, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Oct 09, 2020	Oct 26, 2020
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 23, 2020	Oct 26, 2020
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Oct 09, 2020	Oct 26, 2020
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Oct 01, 2020	Oct 26, 2020
Comments: Deficiency is now compliant			

General Comments

All orders for compliance are now compliant.

original signed by

Lisa Green

Signature of Early Learning and Childcare Licensing Staff

October 26, 2020

Date

original signed by

Jill Farrar

Signature of Operator/Designate

October 26, 2020

Date