

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Forest Hills Baptist Church Inc.	Licence Number 269030	Inspection Date September 24, 2023	
Facility Name LIVING WATERS CHILD DEVELOPMENT CENTRE		Telephone Number (506) 652-4696	
Address 36 Mountain Road Saint John NB E2J 2X1			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(0.1)(a)(i-iii) In subsection (1), an operator of a licensed facility includes: (a) in the case of a criminal record check or a vulnerable sector check, as the case may be, (i) in the case of a corporation or unincorporated association, the directors, (ii) in the case of a partnership, the partners, and (iii) in the case of a limited partnership, the general partners;	12(0.1)(a)(i-iii)	Sep 15, 2023	Aug 18, 2023
Comments: Deficiency is now compliant			
12(0.1)(b)(i-iii) In subsection (1), an operator of a licensed facility includes: (b) in the case of a check with the Department of Social Development, (i) in the case of a corporation or unincorporated association, the directors who have contact with children receiving services in the facility or who manage the finances of the facility, (ii) in the case of a partnership, the partners who have contact with children receiving services in the facility or who manage the finances of the facility, and (iii) in the case of a limited partnership, the general partners who have contact with children receiving services in the facility or who manage the finances of the facility.	12(0.1)(b)(i-iii)	Sep 15, 2023	Aug 18, 2023
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 15, 2023	Sep 22, 2023
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Sep 15, 2023	Sep 22, 2023
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (c) in compliance with the Canada Consumer Product Safety Act (Canada) and the regulations under that Act.	32(1)(c)	Jul 28, 2023	Sep 22, 2023

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 28, 2023	
Comments: Deficiency is now compliant			

General Comments
A follow up inspection occurred today. All orders for compliance were completed and facility is recommended for license renewal, pending recommendations from public health and fire.

original signed by  
Jodi Hennessey

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

September 24, 2023

\_\_\_\_\_  
Date

original signed by  
Jennifer Branscombe

\_\_\_\_\_  
Signature of Operator/Designate

September 24, 2023

\_\_\_\_\_  
Date