

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Forest Hills Baptist Church Inc.	Licence Number 269030	Inspection Date September 18, 2024	
Facility Name LIVING WATERS CHILD DEVELOPMENT CENTRE		Telephone Number (506) 652-4696	
Address 36 Mountain Road Saint John NB E2J 2X1			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 30, 2024	
Comments: Preschool Room: * Both preschool bathrooms under the sinks dirty, to be cleaned. 2/3-Year-old Room: * Cabinet under sink dirty, to be cleaned. * Space between wall and sink cabinet dirty, to be cleaned. * Under change pad has dirt/gravel, to be cleaned. * Shelving under change pad table has dirt/gravel, to be cleaned. * Windows ledges dusty, to be cleaned. * Doorknob broken, to be repaired, if cannot be repaired to be replaced.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Sep 30, 2024	
Comments: 2/3 Year old Room: * Under and behind art shelf dirty, to be cleaned. * Under and behind book shelf dirty, to be cleaned.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Sep 30, 2024	
Comments: Preschool outside play area: * Play house roof broken, to be discarded. * Garbage inside play area on ground. To be picked up daily and discarded. * Garbage can on outside of fenced in play area overflowing, to be emptied daily.			
31(5.1) The outdoor play area of a full-time or part-time early learning and childcare centre shall include a shaded area of at least 0.45 m2 for each child that can be accommodated in the outdoor play area as provided under subparagraph 4(1)(g)(ii)	31(5.1)	Sep 30, 2024	
Comments: Infant Play Yard: * Gazebo shade not up and not enough shade for the children. Children exposed to direct sunlight.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Sep 17, 2024	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Kitchen door open: * Bleach, Lysol wipes and Febreze on counter. To be in a locked cabinet.			

<p>General Comments</p> <p>A renewal inspection occurred today. The children were observed during both inside and outside play, lunch and nap/quiet time. Discussions were had with the Administrator and Educators regarding supervision and children under 15 months of age. "To ensure that children are appropriately supervised at all times, the child-to-staff ratio must be maintained: at all times (even nap time) for children younger than 15 months of age. Children's learning is documented and displayed on the walls in each of the three learning environments. Positive child guidance was observed occurring during the inspection. Educators were observed speaking kindly to the children and redirecting behaviors appropriately.</p>
--

original signed by
Jodi Hennessey
Signature of Early Learning and Childcare Licensing Staff

September 18, 2024
Date

original signed by
Jennifer Branscombe
Signature of Operator/Designate

September 18, 2024
Date