

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Rothesay Nursery School Inc.	Licence Number 275013	Inspection Date April 04, 2022	
Facility Name ROTHESAY NURSERY SCHOOL		Telephone Number (506) 847-1810	
Address 7 Gondola Point Road Rothesay NB E2E 5J6			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Mar 28, 2022	Apr 04, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (a) financial records.	24(1)(a)	Mar 28, 2022	Apr 04, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Apr 08, 2022	
Comments: Valid First Aid/ CPR certificate is still missing from one staff file. To be sent to inspector as soon as possible, and added to staff file. Previous comply by date of March 28, 2022.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Mar 28, 2022	Apr 04, 2022
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Mar 31, 2022	Apr 04, 2022
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Apr 11, 2022	Apr 04, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Mar 28, 2022	Apr 04, 2022
Comments: Deficiency is now compliant			

General Comments

Completed follow up to renewal inspection today. Most orders for compliance have been corrected. The children were spending time in the gymnasium at the time of today's inspection.

Email received stating that wood repairs to the bench within the outdoor play area will occur this spring. Staff member on site stated that CPR/First Aid certificate is up to date. Please forward proof of this certification to inspector as well and add a copy to staff member's file on site.

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

April 04, 2022

Date

original signed by
Amy Bannerman

Signature of Operator/Designate

April 04, 2022

Date