



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283003	Inspection Date July 08, 2020
Facility Name YMCA OF GREATER SJ Q-PLEX AFTER SCHOOL PROGRAM - DOWNSTAIRS		Telephone Number (506) 849-5784
Address 20 Randy Jones Way Quispamsis NB E2E 0P1		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Jul 09, 2020	
Comments: Most recent monitoring inspection and renewal inspections were not posted. Each time a new monitoring inspection is completed, the most recent report must replace the previous report on board. Please ensure these are accessible to parents to read and not kept underneath glass on bulletin board.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 30, 2020	Jul 08, 2020
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 09, 2020	
Comments: Sanitizing spray left on a low shelf. Sanitizing spray does not have to be locked however it must be kept out of reach of children.			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Jun 30, 2020	Jul 08, 2020
Comments: Deficiency is now compliant			

<p>General Comments</p> <p>Discussed allergies/allergy plans with educators today. Educators must know all allergy information for each child at the beginning of camp. Including who has allergies, what the allergy is and what emergency plan is in place.</p> <p>Ensure an Extreme Allergy Management and Emergency Plan (Appendix 4) is completed and kept with each Epi-Pen. The supervisor must ensure these are completed and with the educator at the beginning of each week of camp.</p> <p>Recommending that a supervisor monitor toxic product storage on a daily basis going forward to ensure these</p>
--

General Comments

are locked at all times, as this has become a reoccurring concern.

original signed by
Britta Garnett

July 08, 2020

Signature of Early Learning and Childcare Licensing Staff

Date

Signature of Operator/Designate

Date