

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283003	Inspection Date June 08, 2021
Facility Name YMCA OF GREATER SJ Q-PLEX AFTER SCHOOL PROGRAM - DOWNSTAIRS		Telephone Number (506) 849-5784
Address 20 Randy Jones Way Quispamsis NB E2E 0P1		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	May 28, 2021	Jun 08, 2021
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Deficiency is now compliant	28(3)(a)	May 25, 2021	Jun 08, 2021
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: Side 1: TV sitting on a narrow shelf with wheels in washroom hallway. This is a safety hazard, as it can be easily knocked over. To be removed. QA Monitor brought this to supervisor's attention during previous inspection (May 19, 2021) as it required immediate attention. Today it was observed that the safety hazard had not been removed. Needs immediate attention. Photo to be sent to QA Monitor.	30(3)	Jun 09, 2021	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Mar 26, 2021	Jun 08, 2021
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	May 20, 2021	Jun 08, 2021
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area. Comments: Deficiency is now compliant	43	May 20, 2021	Jun 08, 2021

General Comments
Orders for compliance from second follow up.

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

June 08, 2021

Date

original signed by
Laura Greer

Signature of Operator/Designate

June 08, 2021

Date