

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Nancy Muehlhauser	Licence Number 510048	Inspection Date July 14, 2022
Facility Name Victoria Street Adventureland Day Care		Telephone Number (506) 455-1863
Address 210 Victoria Street Fredericton NB E3B 1W4		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Jun 28, 2022	Jul 07, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Jul 08, 2022	Jul 11, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Jun 28, 2022	Jul 07, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 28, 2022	Jul 11, 2022
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jul 08, 2022	Jul 11, 2022
Comments: Deficiency is now compliant			
36(6) A cot, a nap mat or the mattress of a crib or portable playpen shall be washable and non-absorbent or covered with a non-absorbent layer.	36(6)	Jul 08, 2022	Jul 11, 2022
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 11, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: While inspecting the basement, licensing staff noted that cleaning products were being stored and the door leading to the basement is secure by a hook and eye. Please ensure that the door leading to the basement is secured by a lock and key.			

<p>General Comments</p> <p>Licensing staff arrived at the licensed facility to conduct a follow-up license renewal visit on July 11th, 2022.</p> <p>All children except for napping children were engaging in a variety of activities. A group of children were engaged in sand play, dramatic play, gross motor climbing and jumping. Educators were observed interacting positively with the children and utilizing positive guidance techniques.</p> <p>Water breaks were had while the children were playing outside on this sunny day.</p>
--

original signed by
Tanya Gaudet

Signature of Early Learning and Childcare Licensing Staff

July 14, 2022

Date

original signed by
Monica Callaghan

Signature of Operator/Designate

July 14, 2022

Date