

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Preschool Centre Inc.	Licence Number 520069	Inspection Date May 13, 2021	
Facility Name Union Street Preschool Centre		Telephone Number (506) 455-3187	
Address 579 Union Street Fredericton NB E3A 3N5			
Name of Early Learning and Childcare Licensing Staff Sabrina Diotte		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	May 13, 2021	May 13, 2021
Comments: Deficiency is now compliant			

General Comments
<p>The centre is bright and well organized. The morning pre-school area is divided in different sections and each section has different toys and learning materials.</p> <p>Upon my arrival the preschool children were playing in different stations. Afterwards, they had snack, did circle time where they practiced the days of the week and the alphabet and then went for a walk. The afterschool children went directly outside when they arrived.</p> <p>I observed lots of positive child guidance such as gentle reminders, encouragements, acknowledgement of achievements and consoling children when needed. The educators were engaged with the children and were observed interacting with them at their level.</p> <p>The outdoor playgrounds were clean and in good repair. The children were engaged in different activities outside such as playing with bubbles, buckets/shovels, some were doing crafts and others were running and playing on the structures.</p> <p>Toxic products must be locked by key. There was Lysol wipes on top of a cabinet in the entrance area and the door of the kitchen was open when I arrived and there was spray paint that was not locked. The toxic products were locked before I left.</p> <p>I recommend for renewal.</p>

original signed by
Sabrina Diotte

Signature of Early Learning and Childcare Licensing Staff

May 13, 2021

Date

original signed by
heidi glazier

May 13, 2021

Signature of Operator/Designate

Date