

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator | Licence Numb | | ber | er Inspection | | Date | |
|---|--------------|-----------------------|---------------------------|---------------|---------------|----------------|--|
| Centreville Child Care Inc. | 653016 | | | January 23 | | 3, 2024 | |
| Facility Name | • | | | | Telephone | Number | |
| Centreville Child Care | | | | | (506) 276-4 | 4437 | |
| Address | | | | | | | |
| 756 Central Street Centreville NB E7K 2M7 | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | |
| Jenelle Hanscom | | | Quality Assurance Monitor | | | | |
| Order for Compliance | | Reg | gulation Date corre | | to be cted | Date corrected | |
| General Comments | | | | | | | |
| Licensing staff arrived to perform a regular monitoring inspection and to observe the newly added cribs in the infant nap room. Nap room cribs were well maintained, safe and clean. Nap checks were performed every 15 minutes and documented appropriately. Stick vacuum currently in nap room is to be relocated to a different area as the nap room cannot serve as storage for other items. Sound machine needs to be relocated so that it is plug in away from the cribs making it impossible for infants to have access to the cord while in their cribs. Operator has agreed to relocate the vacuum and move the sound machine to another available plug in further away from the cribs. | | | | | | | |
| original signed by Jenelle Hanscom Signature of Early Learning and Childcare Licensing State | ff D | ate | Ja | nuary | 23, 2024 | | |
| original signed by Jill Shaw Signature of Operator/Designate | | January 23, 2024 Date | | | | | |
| - 9 | _ | | | | | | |