

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2002393	Inspection Date July 20, 2022
Facility Name YMCA OF GREATER SJ Q-PLEX AFTER SCHOOL PROGRAM - UPSTAIRS		Telephone Number (506) 849-5784
Address 20 Randy Jones Way Quispamsis NB E2E 0P1		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Mar 09, 2022	Jul 20, 2022
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jul 25, 2022	
Comments: Floors and window ledges - unclean and accumulating debris and clutter. To be cleaned and decluttered on a regular basis.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jul 22, 2022	
Comments: Shelving and tables - unclean and cluttered throughout upstairs. To be set up in a way that is inviting.			
34(4) Despite sections 9 and 10, one educator is required for each of the following groups of children accessing a private pool, a public pool or a public swimming area while receiving services at a licensed facility: (a) one infant; (b) four preschool children or fewer; (c) eight school-age children or fewer; and (d) five children of mixed ages or fewer, if at least two of these children are school-age children.	34(4)	Jul 20, 2022	
Comments: Child-to- staff ratio was not met at the pool today. QA Monitor observed the group in the pool was short one staff. QA Monitor brought this to educator's attention and children were removed from the pool. Reminder - support workers can not be included in swimming ratio, when working with a child one on one. School-Age Ratio while swimming is 8:1.			

<p>General Comments</p> <p>Monitoring Inspection:</p> <p>Full monitoring inspection not completed today, as QA Monitor was visiting with the focus of swim time. Swimming ratio has been an on going order for compliance at this facility.</p> <p>QA Monitor went over swimming ratios with staff today.</p>
--

General Comments

Swimming must not happen if there is not enough staff to meet the reduced ratio at the pool.

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

July 20, 2022

Date

original signed by
Laura Greer

Signature of Operator/Designate

July 20, 2022

Date