

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Licence Number

Inspection Date

Pursuant to section 21 of the Early Childhood Services Act, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

rame of operator	Licorioc i tari			opcouloi	
Sophie Woodley	2003337		Ap	April 15, 2021	
Facility Name		Telephone Number		e Number	
Garderie Peek-A-Boo Daycare		(506)		06) 622-7070	
Address			 		
Unit 5 447 King George Highway Miramichi NB E1V 1L8					
Name of Early Learning and Childcare Licensing Staff		Position Title			
Vanessa Giberson		Inspect	or		
Order for Compliance	Re	gulation	Date to b		Date corrected
11 The qualifications and training requirements for administrators educators are as follows: (a) an administrator and educators musualid first aid certificate and a valid cardiopulmonary resuscitation	st hold a	a)	Apr 30, 2	2021	
certificate;					
	staffing chang	ges so tha	t an educa	ator with	a valid CPR course
certificate; Comments: Educator to complete CPR training at the end of group of children. Director was asking to make stood be with the group. This was completed during the could be with the group.	staffing changuring the visit.	ges so that Proof of c	t an educa	ator with a	a valid CPR course
Comments: Educator to complete CPR training at the end of group of children. Director was asking to make a could be with the group. This was completed durinspection once certificate is received. 11 The qualifications and training requirements for administrators educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course of the comments.	staffing changuring the visit.	ges so that Proof of c	t an educa course con	ator with a	a valid CPR course
Comments: Educator to complete CPR training at the end of group of children. Director was asking to make a could be with the group. This was completed durinspection once certificate is received. 11 The qualifications and training requirements for administrators educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course an Early Childhood Education Certificate. Comments: 39(2) A licensed facility shall have a separate locked storage sparate.	staffing changuring the visit. s and 11(or hold ace that 39(ges so that Proof of c	t an educa course con	ator with inpletion in	a valid CPR course
Comments: Educator to complete CPR training at the end of group of children. Director was asking to make a could be with the group. This was completed durinspection once certificate is received. 11 The qualifications and training requirements for administrators educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course an Early Childhood Education Certificate. Comments:	staffing changuring the visit. s and	ges so that Proof of combined by 2)(b)	Jun 30, 2	ator with anpletion in 2021	a valid CPR course must be sent to
Comments: Educator to complete CPR training at the end of group of children. Director was asking to make a could be with the group. This was completed durinspection once certificate is received. 11 The qualifications and training requirements for administrators educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course an Early Childhood Education Certificate. Comments: 39(2) A licensed facility shall have a separate locked storage spais inaccessible to the children for each of the following: (b) medic Comments: Medication must be locked under key. Recomments.	staffing changuring the visit. s and 11(or hold 11) ace that actions. hended a lock 148(n of the 148(ges so that Proof of combined by 2)(b) be added	Jun 30, 2	ator with inpletion in 2021	a valid CPR course must be sent to

General Comments

Name of operator

Follow-up inspection completed today. Ratio was respected during visit.

Outdoor play area was inspected. Discussed with director and staff issues with water leaking into play area. If play area has water staff must ensure that children are playing in the rock area only. Situation was referred to public health to ensure proper plan is in place. Today the play area was dry.

General Comments		
original signed by		
Vanessa Giberson	April 15, 2021	
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by		
Brittany Munn	April 15, 2021	
Signature of Operator/Designate	Date	