

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2005614	Inspection Date March 06, 2024
Facility Name Bridge Street Children's Academy		Telephone Number (506) 536-1066
Address 146 Bridge Street Sackville NB E4L 3P7		
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Jan 01, 2024	Mar 06, 2024
Comments: During the follow-up, the inspector observed that the two missing first aid (FA) certificate and cardiopulmonary resuscitation (CPR) certificate are present in the employees files. Deficiency is now compliant.			
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Jan 19, 2024	Mar 06, 2024
Comments: During the follow-up inspection, the inspector observed that the employee with a ECE certificate that was not in Appendix 25 of the operators manual received an exemption. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jan 01, 2024	Mar 06, 2024
Comments: During the follow-up, the inspector observed that the two missing first aid (FA) certificate and cardiopulmonary resuscitation (CPR) certificate are present in the employees files. Deficiency is now compliant.			

General Comments
During the follow-up inspection, the inspector observed indoor free play.
The ratio is respected during the inspection.

original signed by
Kyleigh Roy

Signature of Early Learning and Childcare Licensing Staff

March 06, 2024

Date

original signed by
Deanna Fowler

March 06, 2024

Signature of Operator/Designate

Date