

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator GRAND BAY BAPTIST CHURCH INC	Licence Number 2005624	Inspection Date December 02, 2021
Facility Name GRAND BAY TINY TREASURES LEARNING CENTRE		Telephone Number (506) 738-2766
Address 77 Woolastook Drive Grand Bay-Westfield NB E5K 1S3		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Downstairs school-age no planning. Discussed with educators in the room as well as administrators.	21	Dec 13, 2021	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption. Comments: Random review of children's files: One immunization record missing.	24(1)(b)(v)	Dec 13, 2021	
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Upstairs bathroom cabinet door hinges broke. To be repaired.	28(3)(a)	Dec 13, 2021	
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: Wooden cribbing around play structure is broken at the bottom corner closed to the black pipe. Discussed with administrators. To be fixed in the spring when ground thaws. Quality Assurance Monitor will follow up during a monitoring inspection. Canopy on climbing structure ripped. To be discarded. Plastic picnic table: piece broke from top. to be discarded.	31(3)	Dec 13, 2021	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Bug spray on cubby shelf. Discarded during inspection. Deficiency is now compliant	39(2)(a)	Dec 01, 2021	Dec 01, 2021
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child. Comments: Pacifier in cubby not in a labelled container.	40(1)(a)	Dec 13, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Dec 13, 2021	
Comments: Random review of children's files: One immunization record missing.			

General Comments
<p>A renewal inspection was conducted today.  Children were observed in the following areas: inside and outside play, lunch, and nap.  A variety of interest centres are set up throughout the learning environments for the children to interact and engage with.  It was noted during the inspection that due to have more staff than required to maintain ratio, when the children went outside to play, a staff member stayed behind, cleaned and set up invitations for learning so when the children came back inside these were ready to be used.</p> <p>Discussed with administrators the outside play area. The canopy over the play structure can be removed as it continues to rip whenever there is a wind storm. Discussed other options for shade: umbrellas and shade sails. Also, discussed cribbage work that is deteriorating and has frozen in the ground. This is to be removed when the weather permits. The Quality Assurance Monitor will check on this during her inspection.  The deck on the front is completed. During the follow up inspection, measurements will be taken to confirm number of children allowed in this area at any time.</p> <p>The children art and learning are displayed throughout all the learning environments in the form of pictures, learning stories, and art. Children's portfolios have been created to store the children's learning.</p> <p>Educators were observed down on the floor inside the centre as well as outside, (on the ground engaged in play and laughter and conversations.) It was evident that this is a normal daily occurrence in their interactions with the children.</p>

original signed by  
**Jodi Hennessey**

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

December 02, 2021

\_\_\_\_\_  
Date

original signed by  
**Ruth Carroll**

\_\_\_\_\_  
Signature of Operator/Designate

December 02, 2021

\_\_\_\_\_  
Date