

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator ST. JOSEPH'S CHURCH	Licence Number 2005645	Inspection Date September 09, 2022
Facility Name ST. JOSEPH'S COMMUNITY PRESCHOOL AND AFTERSCHOOL PROGRAM		Telephone Number (506) 653-6875
Address 4347 Loch Lomond Road Saint John NB E2N 1C8		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Jun 10, 2022	Sep 09, 2022
Comments: Deficiency is now compliant			
28(1) An operator of a licensed facility shall not change the allocation of space used to provide services or add to or alter any building or facility or any part of them unless the Minister has approved the changes in writing.	28(1)	Aug 05, 2022	Sep 09, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Aug 05, 2022	Sep 09, 2022
Comments: Deficiency is now compliant			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	Aug 05, 2022	Sep 09, 2022
Comments: Deficiency is now compliant			

General Comments
A follow up to the renewal inspection was conducted and all outstanding orders for compliance were completed. The facility is recommended for license renewal.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

September 09, 2022

Date

original signed by

September 09, 2022

Terri Sullivan

Signature of Operator/Designate

Date