



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Preschool Centre Inc.	Licence Number 2005777	Inspection Date September 15, 2025	
Facility Name Montgomery Street Afterschool		Telephone Number (506) 476-2066	
Address 860 Grandame Street Fredericton NB E3B 3Z8			
Name of Early Learning and Childcare Licensing Staff Laura Casey		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected

### General Comments

Licensing staff arrived to conduct the annual renewal inspection. Upon arrival, two Educators walked to meet the children from a nearby school. As the walking distance children arrived at the facility, bookbags were taken indoors and the children returned outdoors to play. Shortly after, two other Educators arrived from meeting children off the bus from a different school. While outdoors, children were observed playing with basketballs and had access to a new gaga ball pit. Educators placed pylons in the parking lot for boundaries.

As the children transitioned indoors, roll call attendance was observed on the large carpet in the quiet activity room. The indoor space was organized and bright. Photos, artwork, and positive words of affirmation were on display. Before afternoon snack, proper handwashing was observed, and Educators were observed cleaning the tables. As the children finished snack, they broke off into small groups for station play with tabletop activities such as board game and card games, playing with the large doll house and building in the Lego room. There was evidence of daily routine as the children used cut out figures with their names for activity stations as they rotated. Positive child guidance and problem solving was observed during the inspection.

During inspection, files were verified and required licensing documentation was in order. Monthly fire drills were recorded, cleaning checklists were complete, and evacuation plans were posted. It is recommended that the lockbox be removed from the main entry doorknob as during inspection it was noted to be difficult for children to open the main door while coming inside.

Licensing staff recommends for renewal.

original signed by  
Laura Casey

Signature of Early Learning and Childcare Licensing Staff

September 18, 2025

Date

original signed by  
Kristine Schuttenbeld

Signature of Operator/Designate

September 18, 2025

Date