

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Preschool Centre Inc.	Licence Number 2007294	Inspection Date October 15, 2021
Facility Name The Preschool Centre on Main St 1		Telephone Number (506) 458-8980
Address 115 Main Street Fredericton NB E3A 1C6		
Name of Early Learning and Childcare Licensing Staff Sabrina Diotte		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. Comments: Deficiency is now compliant	33(2)	Oct 13, 2021	Oct 15, 2021
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments:	39(2)(a)	Sep 29, 2021	Oct 15, 2021
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications. Comments: Deficiency is now compliant	39(2)(b)	Sep 29, 2021	Oct 15, 2021
9(1) The child-to-staff ratio is one educator for each of the following groups of children of the same age receiving services at a full-time or part-time early learning and childcare centre: (a) three infants or fewer; (b) five children or fewer who are two years of age; (c) eight children or fewer who are three years of age; (d) ten children or fewer who are four years of age or older, but who are not yet attending school; and (e) 15 school-age children or fewer. Comments: Deficiency is now compliant	9(1)	Sep 22, 2021	Oct 15, 2021

<p>General Comments</p> <p>Toxic product cabinet in the senior infant room was still unlocked this morning and also a Lysol bottle on the toilet, but was locked upon my request. Please ensure toxic products are always locked by key. The swings outdoors in the infant area have been removed for the time being. The cabinet near the toddler room has been painted. Changing tables have been deep cleaned. Windows in the junior infant area were cleaned and lots of nice bright light is coming through now. Everything is in compliance. I recommend for renewal.</p>
--

original signed by _____

October 15, 2021

Sabrina Diotte

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Angie DeGrace

Signature of Operator/Designate

October 15, 2021

Date