

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		lumber	Inspection	Inspection Date	
The Preschool Centre Inc. 2007294			Septemb	September 12, 2025	
Facility Name	· ·		Telephor	ne Number	
The Preschool Centre on Main St 1			(506) 458-8980		
Address			1		
115 Main Street Fredericton NB E3A 1C6					
Name of Early Learning and Childcare Licensing Staff		Positio	Position Title		
Laura Casey		Inspector			
Order for Compliance		Regulation	Date to be corrected	Date corrected	
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.		28(2)	Sep 12, 2025	Sep 11, 2025	
Comments: Email was received with proof of a fire drill bei	ing conducte	ed on Septen	nber 11, 2025.		
Deficiency is now compliant.					
General Comments					
Licensing staff recommends for renewal.					
original signed by Laura Casey		Sep	tember 12, 2025	;	
Signature of Early Learning and Childcare Licensing Staf	ff Da	ate			
original signed by  Angie DeGrace		Sep	tember 12, 2025	5	
Signature of Operator/Designate	Da	ıte			