

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

|   |                           |                                    |
|---|---------------------------|------------------------------------|
| Name of operator<br>Ann-Marie Adams                                   | Licence Number<br>2010297 | Inspection Date<br>July 30, 2021   |
| Facility Name<br>SPROUTS EARLY EDUCATION CENTRE                       |                           | Telephone Number<br>(506) 848-0193 |
| Address<br>26 Gorham Road Quispamsis NB E2E 4V8                       |                           |                                    |
| Name of Early Learning and Childcare Licensing Staff<br>Breanne Jones |                           | Position Title<br>Inspector        |

| Order for Compliance  | Regulation  | Date to be corrected | Date corrected |
|---|-------------|----------------------|----------------|
| 21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.   | 21(a) – (d) | Jun 15, 2021         | Jul 30, 2021   |
| Comments: Deficiency is now compliant   |             |                      |                |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,   | 24(1)(b)(i) | Jun 15, 2021         | Jul 30, 2021   |
| Comments: Deficiency is now compliant   |             |                      |                |
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.   | 28(3)(a)    | Aug 04, 2021         |                |
| Comments: Garbage cans within both washrooms are still missing lids. These must be tightly covered for diapering purposes. Previous comply by date of June 18/21.   |             |                      |                |
| 30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.  | 30(3)       | Aug 04, 2021         |                |
| Comments: Residue remains on the trim around the closet door-to be scraped off and cleaned. Paint touch ups are not evident within the entry way of facility. The white ledge and blue wall remain unclean. Recommended that operator adds these areas to routine cleaning schedule. The entrance area where cubbies are located was very cluttered today. Mop buckets/brooms and dust pans/recycling bins are not to be stored within the entry way-to be moved and stored elsewhere, out of the children's reach. Previous comply by date of June 9/21. |             |                      |                |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.   | 31(3)       | Aug 04, 2021         |                |
| Comments: The wooden fencing still has nails exposed that pose a safety risk. Advising that operator carefully scans this area to remove all nails. Also discussed standing water with operator today. Equipment being used within the mud kitchen had accumulated rain water today. Recommended adding a tote with a lid to this space to store these items and prevent standing water. The sensory table outdoors also requires a lid as standing water has accumulated here as well. Previous comply by date of June 9/21.                             |             |                      |                |

| Order for Compliance  | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;   | 39(2)(a)   | Jul 30, 2021         |                |
| Comments: Toxic products (Calgon room spray and cleaner) were found on shelf within one of the washrooms again today. These products must be locked and stored out of children's reach. These were locked up at time of inspection. Previous comply by date of June 9/21. |            |                      |                |

|  |
|--|
| <b>General Comments</b>  |
| <p>Completed follow up to renewal inspection today. Some orders have been rectified but many orders remain outstanding. Another follow up visit is required.</p> <p>Discussed the integrity of the fence surrounding the outdoor play area today. Advised that facility will likely need a new fence installed by this time next year.</p> |

original signed by  
Breanne Jones

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 30, 2021

\_\_\_\_\_  
Date

original signed by  
Ann-Marie Adams

\_\_\_\_\_  
Signature of Operator/Designate

July 30, 2021

\_\_\_\_\_  
Date