

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator LOVE AND LEARN CHILD CARE CENTER INC.	Licence Number 2010870	Inspection Date June 29, 2021
Facility Name Love and Learn Child Care Center		Telephone Number (506) 386-3149
Address 85 Old Coach Road Riverview NB E1B 1N9		
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Jun 21, 2021	Jun 29, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Jun 21, 2021	Jun 29, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Jun 21, 2021	Jun 29, 2021
Comments: Deficiency is now compliant			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Jun 17, 2021	Jun 29, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jun 17, 2021	Jun 29, 2021
Comments: Deficiency is now compliant			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Jun 21, 2021	Jun 29, 2021
Comments: Deficiency is now compliant			

General Comments

The procedures related to the yellow recovery phase of the Covid-19 pandemic were followed during the inspection.

A Storage Room - Access to Electrical Room Plan has been submitted and posted on the storage room door.

During Follow Up Inspection, Inspector observed children playing outside.

All requirements have been met for license renewal.

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

June 29, 2021

Date

original signed by
Emily Gagnon

Signature of Operator/Designate

June 29, 2021

Date