

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Cassel Enterprises Ltd.	Licence Number 2011006	Inspection Date June 12, 2023	
Facility Name Hands On Learning Academy		Telephone Number (506) 857-4263	
Address 120 Trites Road Riverview NB E1B 2V7			
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	May 19, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed that the name, address and telephone number of at least two people authorized by the child's parent to pick up the child and contact in case of emergency if the parents cannot be reached is present in the 5 child files verified. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	May 10, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed that the attendance records are accurate and reflect all children present. Deficiency is now compliant.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 10, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed rodenticide in a locked storage. During the inspection, the administrator removed the rodenticide from the facility. No rodent droppings were observed. Deficiency is now compliant.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	May 10, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed rodenticide in a locked storage. During the inspection, the administrator removed the rodenticide from the facility. No rodent droppings were observed. Deficiency is now compliant.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	May 19, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed that art materials are easily accessible on low open shelves in all five classrooms. Deficiency is now compliant.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jun 09, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed a bottle of hair gel in 1 of the classrooms. The inspector also observed cleaning products in the unlocked laundry room. During the inspection, the administrator placed the hair gel in a locked cabinet and locked the laundry room door. Deficiency is now compliant.			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area.	43	Jun 09, 2023	Jun 09, 2023
Comments: During the follow-up inspection, the inspector observed a coffee in a classroom. During the inspection, the administrator placed the coffee in a locked area. Deficiency is now compliant.			

General Comments
During the follow-up inspection, the inspector observed indoor and outdoor play.
The ratio is respected during the inspection.

original signed by
Kyleigh Roy

Signature of Early Learning and Childcare Licensing Staff

June 12, 2023

Date

original signed by
Lisa Greene

Signature of Operator/Designate

June 12, 2023

Date