

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator L		Licence Number		Inspection	Inspection Date	
· .		2011078		July 14, 2	July 14, 2020	
Facility Name				Telephone	e Number	
HAMILTON HOMESTYLE CLUBHOUSE			(506) 652-9822			
Address						
70 Gault Road Saint John NB E2M 5H2						
Name of Early Learning and Childcare Licensing Staff			Position Title			
Breanne Jones			Inspector			
Order for Compliance		Regulation	Date to be corrected	Date corrected		
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.		28(3)(a)	Jul 14, 2020			
group established was not being recorded accurately. Discussed with operator and educators. Ensure any person who enters the room is recorded on the group log. The operator is to ensure that the relief personnel is a consistent person within the facility and within the groups of children they support. Diaper changing: Educator did not follow diaper changing procedure outlined in Appendix 22. Disinfecting solution must be left for 2 minutes prior to wiping with paper towel and then must be rinsed with clean water prior to wiping with paper towel. Please review diaper changing procedure with staff. Garbage can for diapers within change station washroom did not have a lid today. This was corrected during time of inspection. Serving meals: Staff member from another facility entered building and transported lunch from the kitchen today. Have a specific staff delegated to prepare and serve meals in order to minimize unnecessary contact. This should be a specific staff member from that facility, and not another site. If the educator within the room is to plate the food, this should not be done at the children's table to avoid potential contamination.						
	tor shall maintain the indoor play area of a licens	sed facility	30(3)	Jul 14, 2020		
to ensure the safety of the children. Comments: Cord dangling from stereo on shelf within 4 year old room today. Cord to be affixed to wall or stereo moved to another location to prevent dangling. This was removed during time of inspection.						
	tor shall maintain the outdoor play area of a licer e the safety of the children.	nsed	31(3)	Jul 15, 2020		
Comments: Nail heads protruding from tower structure within outdoor play area. To be fixed as soon as possible. A portion of caterpillar tunnel structure and bench on plastic picnic table in front outdoor play area is covered in duct tape-to be replaced or removed.						
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.		32(1)(d)	Jul 14, 2020			
Comments: Kitchen center within middle room accumulating debris and unclean (previous comply by date of Feb. 6/20). Hair salon kit and plastic doll high chair within this room is also unclean. Toys and other high touch surfaces should be cleaned and disinfected at least twice daily (as per COVID-19 Recovery Phase document).						

Monitoring Inspection COVID-19 Recovery Phase. Screening protocols were followed upon entry to facility. Children were engaged in conversations and activities within their groups today. The indoor environment demonstrated a variety of the children's interests (dramatic play, art displayed on walls). Outdoor time was observed. Educators had sanitizing solution outside in play area to disinfect toys between uses. Hand washing routines observed today. A healthy lunch was served during the time of inspection. Three separate groups of children share the washrooms within the Clubhouse. In order to access the

original signed by Breanne Jones		July 14, 2020
Signature of Early Learning and Childcare Licensing Staff	Date	•
original signed by		
Heather Hamilton		July 14, 2020
Signature of Operator/Designate	Date	

washrooms, the children must walk through another groups space. A distance of 2 m between groups must

occur at all times. Washrooms must also be sanitized between groups.