

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Christine Arseneault	Licence Number 2012083	Inspection Date December 15, 2023
Facility Name Little Miracles Day Care/La garderie des petits miracles		Telephone Number (506) 523-1817
Address 11 rue Fleur-De-Lis Richibucto NB E4W 3Z7		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Dec 04, 2023	
Comments: This is a second reminder that in 1 child record, the name, address, and telephone number of a medical practitioner was missing. The operator contacted the mother via text message while the Quality Assurance Monitor was on site to ask if they have a medical practitioner. The operator can send a picture via email of the child record completed to the Quality Assurance Monitor.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Dec 04, 2023	
Comments: This is a second reminder that the outdoor area must be maintained safe and free of hazard. The Quality Assurance Monitor observed that the metal bed frame at the outdoor of the entrance has not been removed. The metal bed frame must be removed to keep the outdoor area safe and free of hazard. A picture of the metal bed frame removed from the entrance can be sent to the Quality Assurance Monitor via email.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Dec 01, 2023	Dec 15, 2023
Comments: The Quality Assurance Monitor was able to observe that all toxic products, chemical products and cleaning supply are locked and inaccessible to children. Deficiency is now compliant.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Dec 01, 2023	Dec 15, 2023
Comments: The Quality Assurance Monitor was able to observe that all medications were locked and inaccessible to children. Deficiency is now compliant.			

General Comments
The Quality Assurance Monitor is on site for a follow-up inspection. Ratio was respected during the visit.

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

December 15, 2023

Date

original signed by
Christine Arseneault

Signature of Operator/Designate

December 15, 2023

Date