

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Fredericton YMCA Inc.	Licence Number 2012520	Inspection Date January 06, 2023	
Facility Name YMCA J.D. Irving Room ASP		Telephone Number (506) 462-3000	
Address 570 York Street Fredericton NB E3B 3R2			
Name of Early Learning and Childcare Licensing Staff Kelsey Colford		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Dec 30, 2022	Jan 06, 2023
Comments: Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Dec 30, 2022	Jan 06, 2023
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Dec 23, 2022	Jan 06, 2023
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Dec 30, 2022	Jan 06, 2023
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Dec 30, 2022	Jan 06, 2023
Comments: Deficiency is now compliant			

General Comments

All orders are now in compliance. Administrator provided documentation of compliance to all orders by email in the form of photos.

General Comments

I recommend this licence for renewal.

original signed by
Kelsey Colford

Signature of Early Learning and Childcare Licensing Staff

January 06, 2023

Date

Signature of Operator/Designate

Date