

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N	Number			Inspection Date		
J. MCGRATH HOLDINGS INC. 2012579				February 03, 2021			
Facility Name					Telephone	e Number	
Greater Moncton School Of Discovery Afterschool			(506) 857-5560				
Address							
172 West Lane Moncton NB E1C 6V2							
Name of Early Learning and Childcare Licensing Staff		Position Title					
Carlo Di Bonaventura		Inspector					
Order for Compliance				Date corre		Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, Comments: Emergency contacts did not have the full address in two		,,,,,,		Feb 0	4, 2021		
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area.		43		Feb 0	3, 2021	Feb 03, 2021	
Comments: Deficiency is now compliant							
General Comments							
The Covid-19 procedures were followed by staff and the educators throughout the inspection. The daycare consisted of 3 separate bubbles. The inspector observed the children engaging in outdoor and indoor activities during the inspection.							
original signed by Carlo Di Bonaventura			February 03, 2021				
Signature of Early Learning and Childcare Licensing Staff Date							
original signed by Nicole Wood Signature of Operator/Designate		ate	Feb	ruary	03, 2021		
Oignature of Operator/Designate		alu					