

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|---------------------------|--------------------------------------|
| Name of operator GRAND BAY BAPTIST CHURCH INC | Licence Number 2012758 | Inspection Date November 22, 2022 |
| Facility Name GRAND BAY TREASURED ADVENTURES | | Telephone Number (506) 738-2766 |
| Address 77 Woolastook Drive Grand Bay-Westfield NB E5K 1S3 | | |
| Name of Early Learning and Childcare Licensing Staff Jodi Hennessey | | Position Title Inspector |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. | 28(3)(a) | Dec 08, 2022 | |
| Comments: Cubby Room: * Heater broken and front falling off. To be fixed/replaced. | | | |

| |
|---|
| <p>General Comments</p> <p>A renewal inspection was conducted today. The inspection of the inside play area began prior to the children arriving from school. It was noted that the room at the far end of the facility was not set up. This was discussed with the new Interim Director that this area must be set up. It measures for 15 spaces, so a group of children are to utilize this room. This area was set up prior to the arrival of the children. A variety of documentation displaying the children's learning and activities are displayed in the learning environment. As well as a variety of age-appropriate materials for the children to interact and engage with. The outside play area has a "fort area" that the children have created. Discussed the Guinea Pigs that the centre has, and the Licensing Inspector reached out to Public Health to ensure all guidelines were being followed. Public Health indicated that the cages should have a cover on them, and the interim director indicated she would ensure this was completed.</p> |
|---|

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

November 22, 2022

Date

original signed by
Roxy Ring

Signature of Operator/Designate

November 22, 2022

Date