

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Northend Learning Center Inc.	Licence Number 2013610	Inspection Date June 19, 2023
Facility Name Northend Learning Center 2		Telephone Number (506) 384-5437
Address 96 Gorge Road Moncton NB E1G 1E6		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 03, 2023	
Comments: During the renewal inspection, inspector observed a broken picnic table in the outdoor play area. This was removed from the outdoor play area. Inspector also observed some of the wires of the black fencing are coming apart and will need to be resecured to the fence in order to ensure that the outdoor play area is maintained safe and free of hazard.			
38(3) An operator of a licensed facility shall provide one potty chair or training seat for each group of three children who are being toilet-trained.	38(3)	Jun 19, 2023	Jun 19, 2023
Comments: There is a potty-training seat available to the children, however Inspector observed that it was stored on the floor. This was addressed with the educator, who placed it elsewhere. Deficiency is now compliant			

General Comments
<p>During the renewal inspection, inspector observed indoor play, outdoor play, lunch as well as the rest period. Inspector observed positive interactions between the educators and the children, such as the educators getting on the children's level to interact with them, as well as comforting children when they were upset. Positive child guidance was seen practiced by educators, by giving gentle reminders. Inspector observed documentation of children's learnings by the learning stories, art and webbing posted on the walls in the classroom.</p> <p>A discussion was had with the Administrator regarding a large puddle of water that accumulates in the outdoor play area after rain. Administrator indicates that they are looking at possible solutions to ensure that this drains properly.</p> <p>Administrator must ensure that the inspector's name and contact information is updated within the facility.</p> <p>Ratio was respected during the inspection.</p>

original signed by
Sarah MacDougall

Signature of Early Learning and Childcare Licensing Staff

June 20, 2023

Date

original signed by

June 20, 2023

Kristal Hooton

Signature of Operator/Designate

Date