

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator SHERRIE STRUBLE-BROWN	Licence Number 2013651	Inspection Date October 09, 2020
Facility Name MAGNETIC HILL ACADEMY		Telephone Number (506) 961-6494
Address 777 Front Mountain Road Moncton NB E1G 3H2		
Name of Early Learning and Childcare Licensing Staff Carlo Di Bonaventura		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Oct 08, 2020	Oct 09, 2020
Comments: Deficiency is now compliant			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Oct 08, 2020	Oct 09, 2020
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 08, 2020	Oct 09, 2020
Comments: Deficiency is now compliant			

General Comments
Inspector observed during the follow-up inspection that the above-noted deficiencies have been corrected.

original signed by  
Carlo Di Bonaventura  
\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

October 09, 2020  
\_\_\_\_\_  
Date

original signed by  
Sherrie Struble-Brown  
\_\_\_\_\_  
Signature of Operator/Designate

October 09, 2020  
\_\_\_\_\_  
Date