

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|------------------------------------|-------------------------------------|
| Name of operator Aimee Olsen | Licence Number 2014043 | Inspection Date October 26, 2023 |
| Facility Name The Sky is the Limit Early Learning | Telephone Number (506) 625-6701 | |
| Address 34 Warren Avenue Miramichi NB E1N 2J5 | | |
| Name of Early Learning and Childcare Licensing Staff Venessa Sullivan | Position Title Inspector | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| 30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. | 30(3) | Sep 21, 2023 | Sep 21, 2023 |
| Comments: A wax warmer placed on the back of the toilet was lit and wax was melted. Operator shut it off when asked. Deficiency is now compliant. | | | |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. | 31(3) | Sep 21, 2023 | Sep 21, 2023 |
| Comments: 2 pairs of pruning shears (1 small and 1 large) were on a table in the outdoor area. Operator removed them and put them out of reach of the children. Deficiency is now compliant | | | |
| 39(1) A licensed facility shall have storage space that includes: (b) easily accessible space to store the personal belongings of each child receiving services at the licensed facility. | 39(1)(b) | Oct 12, 2023 | |
| Comments: 2 of the children attending the facility do not have assigned storage for their personal belongings. Each child receiving services should have an easily accessible space for their belongings. | | | |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications. | 39(2)(b) | Sep 21, 2023 | Sep 21, 2023 |
| Comments: A tube of insulin was found in bathroom, accessible to children. Operator immediately removed and put it away; Deficiency is now compliant | | | |
| 41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas. | 41(3)(a) | Sep 21, 2023 | Sep 21, 2023 |
| Comments: No diaper changing procedure was posted in diaper changing area. Operator posted a copy during visit. Deficiency is now compliant. | | | |

| |
|--|
| General Comments |
| Visit at the facility to complete annual inspection. Ratio was respected during visit. |
| When I arrived, the children were having a quiet time while the baby slept. The children then gathered at the table to play with play doh. Some children left and the afterschool kids arrived later on. |

original signed by
Venessa Sullivan

Signature of Early Learning and Childcare Licensing Staff

September 21, 2023

Date

original signed by
Aimee Olsen

September 21, 2023

Signature of Operator/Designate

Date