

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

|                                                               |                                        |                                                                 |  |
|---------------------------------------------------------------|----------------------------------------|-----------------------------------------------------------------|--|
| Name of Operator<br><b>Aimee Olsen</b>                        |                                        | Inspection Date<br><b>October 28, 2026</b>                      |  |
| Facility Name<br><b>The Sky is the Limit Early Learning</b>   |                                        | Licence Number<br><b>2014043</b>                                |  |
| Address<br><b>34 Warren Avenue Miramichi NB E1N 2J5</b>       |                                        | Telephone Number<br><b>(506) 625-6701</b>                       |  |
| Type of Facility<br><b>Early Learning and Child Care Home</b> | Maximum Number of Children<br><b>6</b> | Ages of Children<br><b>INFANTS<br/>PRESCHOOL<br/>SCHOOL-AGE</b> |  |
| ELCC Licensing Staff<br><b>Venessa Sullivan</b>               | Position Title<br><b>Inspector</b>     |                                                                 |  |

| Order for Compliance                                                                                                                           | Regulation | Date to be corrected | Date corrected |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|----------------|
| 41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.                                   | 41(3)(a)   | Oct 14, 2026         | Oct 27, 2026   |
| Comments: A photo showing the diaper-changing procedures sheet attached to the wall was provided to the inspector. Deficiency is now compliant |            |                      |                |

|                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General Comments                                                                                                                                                  |
| Follow up inspection was completed by email; therefore, no ratio was taken.<br>Facility meets requirements under the Act and regulations; license is recommended. |

original signed by  
**Venessa Sullivan**

Signature of Early Learning and Childcare Licensing Staff

October 28, 2026

Date

original signed by  
**Aimee Olsen**

Signature of Operator/Designated staff

October 28, 2026

Date

"I hereby acknowledge receipt of this report"