

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operate	or	Licence Num		ımber		Inspection Date	
·		2014177				April 04, 2023	
Facility Name						Telephone	Number
Wiggles and Giggles Early Learning Center					(506) 939-2274		
Address							
55 King Street Sackville NB E4L 3G4							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Kyleigh Roy			Inspector				
Order for Compliance					Date corre		Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		ust hold a	11(a)		May 17, 2023		
Comments: During the follow-up inspection, the inspector observed that a copy of a valid first aid (FA) certificate and a valid cardiopulmonary resuscitation (CPR) certificate is missing in 1 of the 17 employee files. The operator must ensure that a copy of a valid first aid (FA) certificate and a valid cardiopulmonary resuscitation (CPR) certificate is maintained in the educator's file.							
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.		21 May		May '	17, 2023		
Comments: During the renewal inspection, the inspector observed that planning is not up to date in 2 of the 5 classrooms. Operator must demonstrate that planning is a process that involves engaging the children and reflecting on the children's interests, passions, strengths and abilities.							
records and docur licensed facility: (I telephone number parent or guardian emergency if the p	poses of subsection 20(1) of the Act, the follow ments shall be maintained on the premises of b) child records that include: (iv) the name, act of at least two individuals authorized by the contacted in caparent or guardian cannot be reached,	a ddress and child's ase of an	,)(b)(iv)		7, 2023	
Comments: During the renewal inspection, the inspector observed that an emergency contact is missing in 1 of the 10 child files verified. The operator must ensure that the name, address and telephone number of at least two people authorized by the child's parent to pick up the child and contact in case of emergency if the parents cannot be reached is noted in all children's files.							
records and docur licensed facility: (I history and a copy exemption. Comments:	coses of subsection 20(1) of the Act, the followments shall be maintained on the premises of b) child records that include: (v) the child's hear of the record of immunizations or a copy of a During the renewal inspection, the inspector of	a alth an bserved tha	at a c		alth an		
of an exemption is missing in 1 of the 10 child files verified. The operator must ensure that a copy of the child's health and immunization record or a copy of an exemption is placed in the child's file							

Order for Comp	liance	Regulation	Date to be corrected	Date corrected		
records and doc- licensed facility: declaration confi- or her obligations	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (iv) a signed irming that the staff member has read and understood his s under the Act and this Regulation.		Apr 07, 2023			
Comments:	During the renewal inspection, the inspector observed the under the Act and licensing regulation is missing in 2 or 1 a signed copy of the statement regarding obligations und the educator's file.	17 staff files ve der the Act and	rified. The operator	must ensure that		
records and docilicensed facility: valid first aid cer	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (vii) a copy of a tificate and a valid cardiopulmonary resuscitation	24(1)(c)(vii)	May 17, 2023			
Comments:	ch administrator and educator. During the follow-up inspection, the inspector observed the valid cardiopulmonary resuscitation (CPR) certificate is must ensure that a copy of a valid first aid (FA) certificate certificate is maintained in the educator's file.	nissing in 1 of t	the 17 employee file	es. The operator		
records and doc	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (k) emergency evacuation and fire drill records.	24(1)(k)	May 17, 2023			
Comments:	During the renewal inspection, the inspector observed the January and March. The operator must ensure that emer monthly.		•			
	of a licensed facility shall post in a clearly visible and on the premises: (a) the daily routine. During the renewal inspection, the inspector observed the	25(a)	Apr 06, 2023	1 of the 5		
Comments.	classrooms. The daily routine must be posted in a visible					
parent or guardia before doing any	of a licensed facility shall obtain the written consent of a can of a child receiving services at the licensed facility of the following: (b) permitting, in the case of illness or he child to shower or bathe or showering or bathing the	27(b)	Apr 07, 2023			
Comments:	mments: During the renewal inspection, the inspector observed that consent for bathing or showering in the event of illness or soiled clothing is missing in 1 of the 10 child files verified. The operator must ensure that consent for bathing or showering in the event of illness or soiled clothing is provided by the parents.					
evacuation and f	or of a licensed facility shall carry out emergency fire drills monthly.	28(2)	May 17, 2023			
Comments:	During the renewal inspection, the inspector observed the not completed in January and March. The operator must are conducted monthly.					
	or shall maintain the indoor play area of a licensed facility fety of the children.	30(3)	Apr 12, 2023			
Comments:	During the renewal inspection, the inspector observed a are currently covered with clear packing tape. The operation					
is inaccessible to	d facility shall have a separate locked storage space that to the children for each of the following: (a) toxic products, ets and cleaning supplies;		Apr 04, 2023	Apr 04, 2023		
Comments: During the renewal inspection, the inspector observed cleaning products in unlocked cabinets located inside 2 different bathrooms. The inspector observed a can of paint on a desk in the office. The inspector also observed a bottle of Off on a shelf in one of the classrooms. During the inspection, the administrator placed the paint in a locked cabinet and locked the other cabinets with a key. The administrator also placed the off in a locked cabinet. Deficiency is now compliant.						
satisfactory proo	or of a licensed facility shall refuse admission to a child if of the immunizations required by the Public Health Act is under that Act is not provided.	47(1)	Apr 07, 2023			

Order for Compliance		Regulation	Date to be corrected	Date corrected		
<u> </u>	5 ' 4 ' ' 4 ' ' ()	1.0 4 6 6				
Comments:	Comments: During the renewal inspection, the inspector observed that proof of immunizations or an exemption					
	the child's entry is missing in 1 of the 10 child files verified. The operator must ensure that proof of					
	immunizations or an exemption is placed in the child's file prior to the child's entry.					
Conorol Com						
General Com	ments					
During the renewal inspection, the inspector observed indoor free play, lunch time, quiet time, snack time and						
outdoor free p	lay.					
The inspector	observed positive interactions between the childr	en and educator	s such an educat	or giving a		
child a hug to comfort them.						
9						
The ratio is respected during the inspection.						
	original signed by					
	Kyleigh Roy	A	April 04, 2023			
Signature of E	Early Learning and Childcare Licensing Staff	Date				
-						
	original signed by					
	Tricia Reid		April 04, 2023			
Signature of C	Operator/Designate	Date		_		