

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Wiggles & Giggles Early Learning Center Inc.	Licence Number 2014177	Inspection Date May 23, 2023	
Facility Name Wiggles and Giggles Early Learning Center		Telephone Number (506) 939-2274	
Address 55 King Street Sackville NB E4L 3G4			
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	May 17, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the administrator and educators hold a valid first aid certificate and a valid CPR certificate. Deficiency is now compliant.			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	May 17, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that programming is purposely planned and documented in all classrooms. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Apr 07, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the name, address and telephone number of at least 2 emergency contacts are present in the 5 child files verified. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Apr 07, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the child's health history including a copy of the immunization record, or a copy of the exemption is present in the 5 child files verified. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Apr 07, 2023	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the follow-up inspection, the inspector observed that the staff signed statement regarding obligations under the Act and licensing regulation is missing in 1 or 3 staff files verified. The operator must ensure that a signed copy of the statement regarding obligations under the Act and licensing regulation is maintained in the educator's file.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 17, 2023	May 23, 2023
Comments: During the follow-up inspection the inspector observed that the missing copy of a valid first aid (FA) certificate and a valid cardiopulmonary resuscitation (CPR) certificate had been placed in the staff member's file. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records.	24(1)(k)	May 17, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the fire drill for the month of April is documented. Deficiency is now compliant.			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine.	25(a)	Apr 06, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the daily routine is posted in all rooms. Deficiency is now compliant.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (b) permitting, in the case of illness or soiled clothing, the child to shower or bathe or showering or bathing the child.	27(b)	Apr 07, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the consent for bathing or showering in the event of illness or soiled clothing is present in the 5 child files verified. Deficiency is now compliant.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	May 17, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the monthly emergency evacuation and fire drills are completed for the month of April. Deficiency is now compliant.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Apr 12, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the holes in the walls in two of the classrooms have been repaired and painted. Deficiency is now compliant.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	May 23, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed a bottle of Off insect repellant on a shelf in one of the classrooms. During the inspection, an educator placed the insect repellant in a locked storage cabinet. Deficiency is now compliant.			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Apr 07, 2023	May 23, 2023
Comments: During the follow-up inspection, the inspector observed that the proof of immunizations or an exemption prior to the child's entry is present in 5 of the child files verified. Deficiency is now compliant.			

General Comments

During the follow-up inspection, the inspector observed indoor free play, quiet time and outdoor free play.

The ratio is respected during the inspection.

original signed by
Kyleigh Roy

Signature of Early Learning and Childcare Licensing Staff

May 23, 2023

Date

original signed by
Dawn Phinney

Signature of Operator/Designate

May 23, 2023

Date