

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		Licence N	e Number		Inspection Date		
Sunny Smiles Childcare Center Inc. 2014718		i		August 21, 2024			
Facility Name					Telephone Number		
Sunny Smiles Childcare Center Inc.			(500		(506) 384	506) 384-0765	
Address							
382 rue Har	old Dieppe NB E1A 1Z1						
Name of Early Learning and Childcare Licensing Staff			Position Title				
Sophie Powers			Quality Assurance Monitor				
Order for Compliance		Regulation	Date to be corrected		Date corrected		
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a). Comments: In one classroom, the educator informs the QAM that 12 children are in her care, however, 13 children are signed in on the attendance sheet. To ensure appropriate supervision, educators must know how many children are present at all times. One child was using the washroom at the time of the headcount. The QA had a discussion with the administrator regarding the importance of appropriate supervision. Deficiency is						r, 13 children are now how many adcount. The QAM	
	now compliant		'			,	
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.			21(a) – (d)	Aug 2	23, 2024		
Comments:							
	ator shall maintain the indoor play area of a licens safety of the children.			Aug 2	23, 2024		
Comments:	During the monitoring inspection, the QAM obstroken baseboard heater has sharp parts and The baseboard heater must be replaced or fixed	edges. Inc					
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.			31(3)	Aug 2	27, 2024		
Comments:							
	The QAM also observed a swing set that was replay area must be maintained safe and free of						

are prohibited to use the swing structure until it is either removed, replaced or fixed.

General Comments

The Quality Assurance Monitor is on site for a monitoring inspection.

The following elements were verified at the time of the visit:

- Staff files (checks, qualification and training, etc.)
- Outdoor play area
- If all required documents are posted in a visible and prominent place in the facility
- Child to staff ratio

While verifying the staff member's file, one staff has a vulnerable sector check from another province. The QAM recommends that the staff in question has a vulnerable sector check from a local police department. A new copy can be sent to the QAM via email.

While observing the outdoor play area, the QAM noticed that the gate to the fenced in play area was not closing properly. The administrator informs the QAM that when children are in the play area, the educators make sure it is closed completely, to ensure adequate supervision. The QAM recommends that the gate be fixed, so the fence is securely gated at all times.

original signed by Sophie Powers		August 21, 2024
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by		
Carrie LeBlanc	<u> </u>	August 21, 2024
Signature of Operator/Designate	Date	