

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2015076	Inspection Date September 27, 2021	
Facility Name Y of Greater Saint John--St. George Afterschool Program		Telephone Number (506) 849-5784	
Address 11 J.O. Spinney Drive St. George NB E5C 3H7			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
20 For the purposes of section 17 of the Act, the requirements with respect to the transportation of children are as follows: (d) the motor vehicle must be equipped with (ii) a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act, as a first aid kit that is not a personal, Type P first aid kit.	20(d)(ii)	Sep 28, 2021	Sep 27, 2021
Comments: Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Sep 28, 2021	Sep 27, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Sep 28, 2021	Sep 27, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Sep 28, 2021	Sep 27, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 10, 2021	Sep 27, 2021
Comments: Deficiency is now compliant			

General Comments

A follow up to the renewal inspection was conducted today. All outstanding orders for compliance from the renewal were completed. However, during the follow up inspection that the renewal inspection from September 9, 2021 was not posted as per the ECS Act/Regulations. As this was not on the renewal a separate monitoring inspection was opened and an order for compliance for this was noted.

Children and educators were observed engaged in play, learning, conversations, snack and outside play.

The facility is recommended for license renewal.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

September 27, 2021

Date

original signed by
Brooke Bacher

Signature of Operator/Designate

September 27, 2021

Date