



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

|  |                           |                                       |                |
|--|---------------------------|---------------------------------------|----------------|
| Name of operator<br>YMCA of Greater Saint John Inc.                  | Licence Number<br>2015076 | Inspection Date<br>September 17, 2024 |                |
| Facility Name<br>YMCA - St. George - ASP                             |                           | Telephone Number<br>(506) 271-0822    |                |
| Address<br>118 Brunswick Street St George NB E5C 1A9                 |                           |                                       |                |
| Name of Early Learning and Childcare Licensing Staff<br>Aimee Hanson |                           | Position Title<br>Inspector           |                |
| Order for Compliance   | Regulation                | Date to be corrected                  | Date corrected |

|   |
|---|
| General Comments  |
| <p>A renewal inspection occurred today. The children were observed in their outdoor play space and also at the splash pad.</p> <p>The environment had materials displayed at children's level and can be independently accessed. Open-ended materials were displayed giving children multiple choices, solutions and possibilities for exploration and investigation.</p> <p>Educators listened carefully to each child's needs and gave ample time to think and express what they are feeling.</p> <p>Educators were engaged, participating in children's play, observing to implement purposeful planning to support children's interactions with people and materials.</p> <p>All checks were observed and complete. All staff and children's files were observed and complete.</p> <p>Conversation with admin on site about mulch on playground. Mulch depth was ok but needed to be raked in front of slide and below swing.</p> |

original signed by  
Aimee Hanson

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

September 17, 2024

\_\_\_\_\_  
Date

original signed by  
Kara Filmore

\_\_\_\_\_  
Signature of Operator/Designate

September 17, 2024

\_\_\_\_\_  
Date