

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015092	Inspection Date December 17, 2020	
Facility Name Riverview Riddles and Rhymes Childcare		Telephone Number (506) 387-4989	
Address 567 Coverdale Road Riverview NB E1B 3K7			
Name of Early Learning and Childcare Licensing Staff Erin MacLaggan		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Dec 18, 2020	
Comments: The two staff have been registered for the 30 hours (Introduction to the NB Curriculum). The Operator must inform the QAM once they have completed the course.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Dec 14, 2020	Dec 14, 2020
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Dec 14, 2020	Dec 14, 2020
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Dec 18, 2020	Dec 17, 2020
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Dec 14, 2020	Dec 14, 2020
Comments: Deficiency is now compliant			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Dec 18, 2020	Dec 14, 2020
Comments: Deficiency is now compliant			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Dec 18, 2020	Dec 14, 2020

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
48(5) If more than one bottle-fed infant is receiving services at a licensed facility, the operator shall ensure that each bottle is (a) labelled with the child's name, (b) used only for the intended child.	48(5)	Dec 14, 2020	Dec 14, 2020
Comments: Deficiency is now compliant			
General Comments			
Operator will send copies of fire and health inspections to QAM once completed.			

original signed by Erin MacLaggan	December 17, 2020
_____ Signature of Early Learning and Childcare Licensing Staff	_____ Date
original signed by Dawna VanBuskirk	December 17, 2020
_____ Signature of Operator/Designate	_____ Date