

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015092	Inspection Date September 24, 2024
Facility Name Riverview Riddles and Rhymes Childcare		Telephone Number (506) 387-4989
Address 567 Coverdale Road Riverview NB E1B 3K7		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Aug 14, 2024	Sep 24, 2024
Comments: During the follow-up inspection, the Quality Assurance Monitor can confirm that no mice dropping where found in any of the classroom. Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 14, 2024	Sep 24, 2024
Comments: During the follow-up inspection, the Quality Assurance Monitor can confirm that no mice dropping where found in any of the classroom. Deficiency is now compliant			
9(1) The child-to-staff ratio is one educator for each of the following groups of children of the same age receiving services at a full-time or part-time early learning and childcare centre: (a) three infants or fewer; (b) five children or fewer who are two years of age; (c) eight children or fewer who are three years of age; (d) ten children or fewer who are four years of age or older, but who are not yet attending school; and (e) 15 school-age children or fewer.	9(1)	Sep 24, 2024	Sep 24, 2024
Comments: While gathering ratio in classrooms during the follow-up inspection the Quality Assurance Monitor noticed that the child to staff ratio in one of the classrooms was not respected. The Quality Assurance Monitor asked the educator in the classroom if there was another educator in the classroom with her. The educator in the room informed the Quality Assurance Monitor that the other staff member was only starting her shift at 9a.m. The Quality Assurance Monitor immediately went to get the administrator, and asked if someone was available to be in the classroom with the educator whose ratio is not being respected. The administrator switched 2 children into another classroom until the other educator arrived for their shift. Deficiency is now compliant.  The Quality Assurance Monitor also reminded the administrator that it is their responsibility to ensure that there is enough staff in the morning to ensure that staff to child ratio is respected all the time.			

General Comments
The Quality Assurance Monitor is on site for a follow-up inspection.

original signed by  
**Stephanie Hickey**

**September 24, 2024**

---

Signature of Early Learning and Childcare Licensing Staff

---

Date

---

Signature of Operator/Designate

---

Date