

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Re-Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015092	Inspection Date March 07, 2025	
Facility Name Riverview Riddles and Rhymes Childcare		Telephone Number (506) 387-4989	
Address 567 Coverdale Road Riverview NB E1B 3K7			
Name of Early Learning and Childcare Licensing Staff Stephanie Leger		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).	10(1)	Mar 05, 2025	Mar 05, 2025
Comments: During the renewal inspection, inspector observe an educator leave the classroom on 3 occasions. 1 educator was left alone with 15 children. Child to staff ratio needs to be always maintained in a mixed aged group. Educator returns to the classroom. Deficiency is now compliant			
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.	11.1(3)	Mar 12, 2025	
Comments: During the renewal inspection, inspector verifies the professional learning hours for all eligible educators. 1 of the eligible educators has 5.5 hours missing to complete the 10-hr requirement. Discussions with the operator and administrator on the importance to have all professional learning hours completed during the renewal period for the designation.			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Mar 05, 2025	Mar 05, 2025
Comments: Inspector observes that the previous inspection reports are not posted in a visible and prominent area. Administrator prints and places them on the information board immediately. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Mar 12, 2025	Mar 06, 2025
Comments: 1 of 15 children's file verified has no contact information indicated in the medical practitioner section. Operator must ensure parents complete the child profile with the name, telephone number and name of the child's medical practitioner. Administrator contacts the parents immediately and completes the information required. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Mar 12, 2025	Mar 05, 2025

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Inspector verifies all employee files. 1 introduction to ECE certification is missing from 1 of the staff files. Administrator retrieves the certification and places a copy in the file. In the same employee file, copies of the PL hours certifications are also missing. Administrator prints the copies and places them in the employee file immediately. Deficiency is now compliant.			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area, unless (a) the beverage is in a spill-proof container	43(a)	Mar 05, 2025	Mar 05, 2025
Comments: During the renewal inspection, the inspector observes an educator enter a classroom with a hot beverage that is not in a spill proof container. The educator exists the classroom immediately bringing the hot beverage away from the children. Deficiency is now compliant.			

General Comments
<p>Inspector is onsite March 5th and again March 6th to complete the renewal inspection. During the re-visit, inspector observes the children playing freely indoors, outdoors, snack time, lunch time and the rest period. The school aged children are present for the full day because of March break.</p> <p>The ratio is respected during the re visit inspection.</p>

original signed by
Stephanie Leger

Signature of Early Learning and Childcare Licensing Staff

March 07, 2025

Date

original signed by
Dimple Vora

Signature of Operator/Designate

March 07, 2025

Date