

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

marked as present on the attendance records. Was corrected during the inspection. Deficiency is now compliant 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was correcte during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. original signed by Erin MacLaggan Signature of Early Learning and Childcare Licensing Staff December 17, 2020 December 17, 2020	Name of operator	Licence Numb		ber		Inspection	n Date	
Riverview Youth Connection Address 567 Coverdale Road Riverview NB E1B 3K7 Name of Early Learning and Childcare Licensing Staff Erin MacLaggan Order for Compliance 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was n marked as present on the attendance records. Was corrected during the inspection. Deficiency is now compliant of the Covid-19 guidelines, these materials must be disposed of at licenses of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once original signed by Erin MacLaggan Firin MacLaggan Original signed by Dawna Vanbuskirk December 17, 2020	679028 N.B. INC. 2015093					Decembe	r 17, 2020	
Address 567 Coverdale Road Riverview NB E1B 3K7 Name of Early Learning and Childcare Licensing Staff Erin MacLaggan Order for Compliance 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was nearked as present on the attendance records. Was corrected during the inspection. Deficiency is now compliant 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. December 17, 2020 Signature of Early Learning and Childcare Licensing Staff Date	Facility Name					Telephon	e Number	
Name of Early Learning and Childcare Licensing Staff Position Title Inspector	Riverview Youth Connection					(506) 387-4989		
Name of Early Learning and Childcare Licensing Staff Erin MacLaggan Regulation Date to be corrected 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was now compliant 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. December 17, 2020 Date Original signed by Erin MacLaggan Signature of Early Learning and Childcare Licensing Staff December 17, 2020	Address							
Erin MacLaggan	567 Coverdale Road Riverview NB E1B 3K7							
Order for Compliance 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed actility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was n marked as present on the attendance records. Was corrected during the inspection. Deficiency is now compliant 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. Signature of Early Learning and Childcare Licensing Staff December 17, 2020 December 17, 2020	Name of Early Learning and Childcare Licensing Staff		Position Title					
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was marked as present on the attendance records. Was corrected during the inspection. Deficiency is now compliant 28(3) The premises of a licensed facility shall comply with (a) lighting, ventitiation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. Signature of Early Learning and Childcare Licensing Staff December 17, 2020 December 17, 2020	Erin MacLaggan		Inspector					
records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was narked as present on the attendance records. Was corrected during the inspection. Deficiency is now compliant 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. Original signed by Erin MacLaggan December 17, 2020 Signature of Early Learning and Childcare Licensing Staff December 17, 2020	Order for Compliance		Regulation				Date corrected	
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. Signature of Early Learning and Childcare Licensing Staff December 17, 2020 December 17, 2020 December 17, 2020 December 17, 2020	records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. Comments: Attendance records must be completed when children arrive and depart. A child, who was present, was not marked as present on the attendance records. Was corrected during the inspection. Deficiency is now							
Comments: One of the classrooms had a basket of natural materials (sticks, pine cones) that were old and painted. Under the Covid-19 guidelines, these materials must be disposed of at the end of each day. Was corrected during the inspection. Deficiency is now compliant 33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. Signature of Early Learning and Childcare Licensing Staff December 17, 2020 December 17, 2020 December 17, 2020	28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health		28(3)(a)		Dec 1	7, 2020	Dec 17, 2020	
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. General Comments Operator to send copies of fire and health inspections to QAM once completed. Signature of Early Learning and Childcare Licensing Staff Oate Dec 17, 2020 December.	Comments: One of the classrooms had a basket of natura Under the Covid-19 guidelines, these material	ls must be d						
Comments: Was not completed since August. Must be completed monthly. Was recently completed in December. Deficiency is now compliant General Comments Operator to send copies of fire and health inspections to QAM once completed. original signed by Erin MacLaggan December 17, 2020 Signature of Early Learning and Childcare Licensing Staff Date original signed by Dawna Vanbuskirk December 17, 2020	and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who			33(3) Dec 2		7, 2020	Dec 17, 2020	
Operator to send copies of fire and health inspections to QAM once completed. original signed by Erin MacLaggan December 17, 2020 Signature of Early Learning and Childcare Licensing Staff Original signed by Dawna Vanbuskirk December 17, 2020	Comments: Was not completed since August. Must be completed monthly. Was recently completed in December.							
original signed by Erin MacLaggan Signature of Early Learning and Childcare Licensing Staff original signed by Dawna Vanbuskirk December 17, 2020 December 17, 2020	General Comments							
Erin MacLaggan December 17, 2020 Signature of Early Learning and Childcare Licensing Staff Original signed by Dawna Vanbuskirk December 17, 2020	Operator to send copies of fire and health inspections to 0	QAM once	com	pleted.				
Dawna Vanbuskirk December 17, 2020	Erin MacLaggan	f Da	ate	Dec	embei	17, 2020		
- ,,			ate	Dece	embei	17, 2020		