

## Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N	umber		Inspection Date		
579028 N.B. INC. 2015093				September 29, 2021		
Facility Name				Telephone Number		
Riverview Youth Connection				(506) 387-4989		
Address						
567 Coverdale Road Riverview NB E1B 3K7						
Name of Early Learning and Childcare Licensing Staff		Position Title				
Maryse Léger		Inspector				
Order for Compliance		Regulation	ation Date to be Date to be Date to be Date to be Date Date to be Date Date Date Date Date Date Date Dat		Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.		24(1)(b)(ii)				
Comments: One of the four audited child files does not have the contact information for the medical practitioner.						
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.		31(3) Oct 1		3, 2021		
Comments: Some of the structures in the playground do not have the required depth of protective surface as indicated by the manufacturer's instruction manual. The operator must ensure that the correct amount of protective surface is in place before the children are allowed to use the play structures.						
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.		33(2)	Oct 13, 2021			
Comments: The climbing structure in the playground does not have the required depth of protective surfacing. The Operator must ensure that the correct amount of protective surfacing is in place before the children are allowed to use the climbing structure.						
General Comments						
During the inspection, the Inspector observed outdoor and indoor play as well as snack time.						
The ratio is in compliance at the time of inspection.						
original signed by Maryse Léger Signature of Early Learning and Childcare Licensing Staff Date			September 29, 2021 Ite			
original signed by Dawna Vanbuskirk Signature of Operator/Designate	 		tembe	r 29, 2021		
Signature of Operator/Designate	Da	10				