

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N	Number		Inspection	Date
679028 N.B. INC. 2015093				November 01, 2023	
Facility Name				Telephone Number	
Riverview Youth Connection				(506) 387-4989	
Address					
567 Coverdale Road Riverview NB E1B 3K7					
Name of Early Learning and Childcare Licensing Staff		Positio	n Title		
Kelly Bezeau		Inspector			
Order for Compliance		Regulation		Date to be Date corre corrected	
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		11(a)	Nov 0	3, 2023	
Comments: During the renewal inspection, the inspector of resuscitation (CPR) certificate were expired. T (FA) certificate and a cardiopulmonary resuscit educators hold a valid first aid certificate and a	he inspecto tation (CPR	or also observ R) certificate.	/ed that The ope	one staff file erator must e	is missing first aid nsure that all
12(0.1)(a)(i-iii) In subsection (1), an operator of a licensed facilit includes: (a) in the case of a criminal record check or a vulneral check, as the case may be,(i) in the case of a corporation or unincorporated association, the directors, (ii) in the case of a pathe partners, and (iii) in the case of a limited partnership, the ge partners;	ole sector artnership,	12(0.1)(a)(i- iii)	Nov 1	0, 2023	
Comments: During the renewal inspection, the inspector of vulnerable sector check is missing. The operativulnerable record check is maintained in the o	tor must en	sure that a co			
12(0.1)(b)(i-iii) In subsection (1), an operator of a licensed facilit includes: (b) in the case of a check with the Department of Socia Development, (i) in the case of a corporation or unincorporated association, the directors who have contact with children receiving services in the facility or who manage the finances of the facility case of a partnership, the partners who have contact with children receiving services in the facility or who manage the finances of facility, and (iii) in the case of a limited partnership, the general who have contact with children receiving services in the facility manage thefinances of the facility.	ing ing ing ing ing in (ii) in the en the partners or who	12(0.1)(b)(i- iii)		0, 2023	
Comments: During the renewal inspection, the inspector of Development is missing. A record of suitability they have contact with children. The operator of Development is maintained in the operator's file.	with the Demust ensure	epartment of	Social D	Development	is required when

Order for Compliance	Regulation	Date to be corrected	Date corrected		
21 A licensee shall post the following documents in a clearly visible a prominent place in the facility associated with the licence: (a) the licer (b) a report provided under section 23; (c) an order issued under sect 28; and (d) a probationary license issued under section 29.	nce;	Nov 03, 2023			
Comments: During the renewal inspection, the inspector observed visible place in the facility. The operator must ensure most recent monitoring inspection report is posted in	e that a copy of the	e annual inspection			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Nov 01, 2023	Nov 01, 2023		
Comments: 1 out of 10 audited children file is missing the Medic file are completed with all the information as prescril operator updated the child's file. Deficiency is now c	bed in the regulation				
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of emergency if the parent or guardian cannot be reached,	24(1)(b)(iv) and an	Nov 03, 2023			
Comments:  During the renewal inspection, the inspector observed emergency contact. During the inspection the paren  The inspector also observed that the two emergency the same phone number. The operator must ensure two individuals authorized by the child's parent to picture.	t provided a secon y contacts listed in that the name, add	d emergency contact  1 out of the 10 child  dress and phone nu	of to the operator.  I files audited have mber of at least		
emergency is documented in the child's file.  24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (i) the staff member's name, address and birth date.	24(1)(c)(i)	Nov 10, 2023			
Comments:  During the renewal inspection, the inspector observe ensure that a file is kept in the facility and accessible birth).					
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description the staff member's duties and responsibilities.  Comments: During the renewal inspection, the inspector observed.		Nov 10, 2023 r's file is missing. The	ne operator must		
ensure that a file is kept in the facility and accessible with a copy of the description of duties and responsibilities.					
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood or her obligations under the Act and this Regulation.		Nov 10, 2023			
Comments: During the renewal inspection, the inspector observe ensure that a file is kept in the facility and accessible under the Act and licensing regulation.					
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be		Nov 10, 2023			
Comments: During the renewal inspection, the inspector observe ensure that a file is kept in the facility and accessible check.					

Order for Comp	liance	Regulation	Date to be corrected	Date corrected
records and doo licensed facility: check with the D	rposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a (c) staff member records that include (vi) a copy of a Department of Social Development.	24(1)(c)(vi)	Nov 10, 2023	
Comments:	During the renewal inspection, the inspector observed the ensure that a file is kept in the facility and accessible with			
records and doo licensed facility: valid first aid cei	rposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a (c) staff member records that include (vii) a copy of a rtificate and a valid cardiopulmonary resuscitation ch administrator and educator.  During the renewal inspection, the inspector observed the company of the compan	24(1)(c)(vii) hat the operato	Nov 03, 2023 r's file is missing. T	he operator must
	ensure that a file is kept in the facility and accessible wi cardiopulmonary resuscitation (CPR) certificate.	th a copy of a v	alid first aid (FA) ce	ertificate and a vali
records and doo licensed facility: inspection and r	rposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a  (j) smoke alarm, smoke detector and fire extinguisher maintenance records.	24(1)(j)	Nov 17, 2023	
Comments:	During the renewal inspection, the inspector observed the September of 2022. The operator must ensure that the			
records and doc	rposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a (k) emergency evacuation and fire drill records.	24(1)(k)	Nov 01, 2023	Nov 01, 2023
Comments:	During the renewal inspection, the inspector observed the documented for October 2023. The operator must ensurare documented. The administrator immediately placed drill form. Deficiency is now compliant.	re that monthly	emergency evacua	ation and fire drills
parent or guardi	of a licensed facility shall obtain the written consent of a an of a child receiving services at the licensed facility y of the following: (f) permitting the child to participate in	27(f)	Nov 09, 2023	
Comments:	During the renewal inspection, the administrator informed disposed of following the outings. The operator must eneach child's file.			
parent or guardi	of a licensed facility shall obtain the written consent of a an of a child receiving services at the licensed facility y of the following: (g) transporting or providing for the f the child.	27(g)	Nov 01, 2023	Nov 01, 2023
Comments:	During the renewal inspection, the inspector observed the school was missing in 1 of the 10 child files verified. The is provided for transporting the child from the school to the provided consent for transporting their child. Deficiency	e operator must the facility. Duri	t ensure that conse ng the renewal insp	nt from the parents
` '	or of a licensed facility shall provide indoor play area quipment that are (d) clean and in good repair.	32(1)(d)	Nov 01, 2023	Nov 01, 2023
Comments:	During the renewal inspection, the inspector observed 1  During the inspection, the educator removed the book fi			
	equipment in the outdoor play area shall be surrounded surfacing and installed according to the manufacturer's	33(2)	Nov 17, 2023	оч сотприата.
Comments:	During the renewal inspection, the inspector observed to climbing dome. The operator must ensure that stationar by appropriate protective surfacing as prescribed in the	y equipment in	the outdoor play ar	
and maintenand following informations	or of a licensed facility shall complete a monthly review be plan on all stationary equipment that includes the ation: (a) the review and repair dates; (b) the action exaction taken; and (c) the name of the staff member who eview.	33(3)	Nov 03, 2023	

Order for Compliance		Regulation	Date to be corrected	Date corrected
Comments:	During the renewal inspection, the inspector observed the stationary equipment was not completed for October 202 and maintenance plan is completed to ensure that outdoor functional.	23. The operate	or must ensure that	the monthly review
is inaccessible to	d facility shall have a separate locked storage space that o the children for each of the following: (a) toxic products, ets and cleaning supplies;		Nov 01, 2023	Nov 01, 2023
Comments:	During the renewal inspection, the inspector observed a shelf in 1 of the 2 classrooms. The inspector also observed During the inspection, the administrator placed all toxic prompliant.	ed 2 gallons o	f paint in an unlocke	ed storage area.
	d facility shall have a separate locked storage space that o the children for each of the following: (b) medications.	39(2)(b)	Nov 01, 2023	Nov 01, 2023
Comments:	During the renewal inspection, the inspector observed the an unlock storage area. The operator must ensure that repuring the inspection, the operator locked the door. Defi	medications are	e locked and inacce	
belongings of a brought to the lic towels, washclo the name of the		40(1)(a)	Nov 06, 2023	
Comments:	During the renewal inspection, the inspector observed the name of the child. The operator must ensure that all perswith the child's name.			
belongings of a brought to the lie	or of a licensed facility shall ensure that personal child receiving services at the licensed facility that are censed facility, including combs, brushes, toothbrushes, ths, bedding, pacifiers and soothers, are (c) stored each child	40(1)(c)	Nov 03, 2023	
Comments:	During the renewal inspection, the inspector observed the on the ground. The operator must ensure that children's belongings do not get lost or mixed-up and to reduce the	personal belor	ngings are stored se	
groups of childre part-time early le (b) five children fewer who are the years of age or of	o-staff ratio is one educator for each of the following en of the same age receiving services at a full-time or earning and childcare centre: (a) three infants or fewer; or fewer who are two years of age; (c) eight children or nree years of age; (d) ten children or fewer who are four older, but who are not yet attending 15 school-age children or fewer.	9(1)	Nov 01, 2023	Nov 01, 2023
Comments:	During the renewal inspection, two educators informed to While talking to the educators, it was unclear how many asked the educator to line up the children to conduct a how that 30 children are present. To ensure that children are must improve supervision practices by ensuring that staff and outdoors. Deficiency is now compliant.	children were lead count. One appropriately s	under their supervis ce completed, the in supervised at all tim	sion. The inspector aspector observed nes, the operator
General Comr	nents			
During the ren	ewal inspection, the inspector observed snack time,	indoor and οι	utdoor free play.	
Signature of E	original signed by Kelly Bezeau Early Learning and Childcare Licensing Staff	Nov Date	ember 02, 2023	
	original signed by  Dawna VanBuskirk	Nov	ember 02, 2023	

	Signature of	of Operator	/Designate
--	--------------	-------------	------------

Date