

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 679028 N.B. INC.	Licence Number 2015093	Inspection Date March 14, 2025	
Facility Name Riverview Youth Connection		Telephone Number (506) 387-4989	
Address 567 Coverdale Road Riverview NB E1B 3K7			
Name of Early Learning and Childcare Licensing Staff Stephanie Leger		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Mar 27, 2025	Mar 14, 2025
Comments: Operator sent a copy of the missing FA and CPR certificate by email and also placed a copy in the staff file. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Mar 27, 2025	Mar 14, 2025
Comments: Operator sent a copy of the missing FA and CPR certificate by email and also placed a copy in the staff file. Deficiency is now compliant			
General Comments			
No onsite inspection was conducted as the operator sent the missing documents via email.			

original signed by  
Stephanie Leger

Signature of Early Learning and Childcare Licensing Staff

March 14, 2025

Date

Signature of Operator/Designate

Date