



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 610687 NB Inc.	Licence Number 2015575	Inspection Date May 07, 2025	
Facility Name Kingswood Academy 4		Telephone Number (506) 869-8980	
Address 1530 Ryan Street Moncton NB E1G 2V3			
Name of Early Learning and Childcare Licensing Staff Celina Boudreau Chiasson		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments

The Quality Assurance Monitor is on site for the renewal inspection.

During the renewal inspection, the Quality Assurance Monitor is present during indoor play and outdoor play. The Quality Assurance Monitor observed the staff members engaging with the children through their play.

The Quality Assurance Monitor had a discussion with a staff member regarding the foamy, green water present in the ditch surrounding the outdoor play area. This concern had previously been addressed by another Quality Assurance Monitor and a Public Health inspector. The operator must ensure that children do not have access to or play in this water. The staff member confirmed that children do not engage with the water, and noted that several small wooden bridges are used by children to cross the ditch and access the other side of the play area.

The ratio is respected during the visit.

original signed by
Celina Boudreau Chiasson

Signature of Early Learning and Childcare Licensing Staff

May 08, 2025

Date

original signed by
Heidi Hudson

Signature of Operator/Designate

May 08, 2025

Date