



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 610687 NB Inc.	Licence Number 2015579	Inspection Date February 28, 2023
Facility Name Kingswood Academy 5		Telephone Number (506) 869-8980
Address 1535 Ryan Street Moncton NB E1G 2V4		
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Mar 08, 2023	
Comments: During the renewal inspection, the inspector finds that daily activities are not deliberately planned in 1 of the 5 classrooms. The operator must ensure that programming is deliberately planned and documented.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Mar 01, 2023	Feb 28, 2023
Comments: During the renewal inspection, the inspector observed that the reason for absences is not indicated on the daily attendance sheets. The operator must ensure that if a child leaves early or is absent due to an illness the absent codes must be filled out indicating the reason of the absence. The educator indicated the reasons for absences during the inspection. Deficiency is now compliant.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (a) equipped with rails or safety straps.	41(1)(a)	Mar 08, 2023	
Comments: During the renewal inspection, the inspector observed that the safety strap on the diaper changing table is broken. The operator must ensure that the diaper changing table is equipped with functioning safety straps.			

<p>General Comments</p> <p>During the renewal inspection, the inspector observed snack time, indoor free play, lunch, outdoor free play and quiet time. The inspector observed an educator reading Charlotte's web in one of the classrooms. The inspector also observed a sign language activity in another classroom.</p> <p>During the inspection the ground was snow covered; therefore, the park assessment will be conducted in the spring with a member of the licensing team. The use of the outdoor play structures is not recommended as the ground is frozen and does not provide protective surfacing.</p> <p>The ratio is respected during the inspection.</p>
--

original signed by
Kyleigh Roy

February 28, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Debra Betsch

February 28, 2023

Signature of Operator/Designate

Date