

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| ame of operator Licence I | | Number | | Inspection Date | | |
|---|--|------------|------------------------|------------------|----------------|--|
| Origins Natural Learning Childcare Ltd 2015635 | | | | March 14, 2025 | | |
| Facility Name | | | | Telephone Number | | |
| Origins NLC 635 | | | | (506) 634-1979 | | |
| Address | | | | | | |
| 4 Landing Court Quispamsis NB E2E 4R2 | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | |
| Jodi Hennessey | | Inspector | | | | |
| Order for Compliance | | Regulatio | n Date to be corrected | | Date corrected | |
| 11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate; | | 11(a) | | 14, 2025 | Feb 13, 2025 | |
| Comments: Team leader submitted proof of compliance via email to Inspector for all staff. These have been placed in the staff files. Deficiency is now compliant. | | | | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. | | 24(1)(c)(v | rii) Mar | 14, 2025 | Feb 13, 2025 | |
| Comments: Team leader submitted proof of compliance via email to Inspector for all staff. These have been placed in the staff files. Deficiency is now compliant | | | | | | |
| 28(3) The premises of a licensed facility shall comply with (a) ventilation and other general health standards under the Public Act. | | 28(3)(a) | Mar | 14, 2025 | Mar 14, 2025 | |
| Comments: Infant 1 Room: Doorknob that was broken had been replaced with a new knob. Deficiency is now compliant. | | | | | | |
| General Comments | | | | | | |
| A follow up inspection occurred today. All orders for compliance were completed and the facility is recommended for license renewal pending the recommendation from the Office of the Fire Marshal. | | | | | | |
| original signed by Jodi Hennessey March 14, 2025 Signature of Early Learning and Childcare Licensing Staff Date | | | | | | |

original signed by Courtney Richard

March 14, 2025