

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence I	Licence Number			Inspection Date	
Origins Natural Learning Childcare Ltd 20		2015712	712			April 17, 2025	
Facility Name						Telephone Number	
Origins NLC 712			((506) 634-1979	
Address							
4 Landing Court Quispamsis NB E2E 4R2							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Jodi Hennessey			Inspector				
Order for Compliance			U		Date corre		Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.			28(3)(a)		Apr 11, 2025		Apr 15, 2025
Comments:	mments: Washroom between rooms 7 & 10: Sink repaired. Deficiency is now compliant						
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.		32(1)(a) A		Apr 11, 2025		Apr 15, 2025	
Comments: Room 7: Paint and chalk were observed on paint easel/chalk board. Room 10: Paper observed on art shelf Deficiency is now compliant							
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.		/ area	32(1)(d)		Apr 1	1, 2025	Apr 15, 2025
Comments:	Room 7: Paint pots observed with paint. Deficiency is now compliant						
50(2) The operator of a licensed facility shall inform the parent or guardian of a child in- volved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.			50(2) Mar		2, 2025	Apr 15, 2025	
Comments:	Room 8: Incident logs were observed signed by parent Deficiency is now compliant	t/guardian.					
General Comments							
A follow up inspection occurred on April 15, 2025.							

All orders for compliance were completed and the facility is recommended for license renewal, pending the recommendations from Public Health and Fire.

original signed by Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

original signed by Courtney Richard

Signature of Operator/Designate

April 17, 2025

Date

Date

April 17, 2025

EECD/EDPE 2018 050