

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Vanessa Dickinson	Licence Number 2015756	Inspection Date November 01, 2022
Facility Name Totally Kids Daycare		Telephone Number (506) 375-8000
Address 136 Main St Hartland NB E7P 2M5		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Aug 04, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records.	24(1)(k)	Jul 29, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (h) if a child has or may be affected by a disease that is required to be reported under the Public Health Act and the regulations under that Act by the operator of the licensed facility, the disease that has been reported.	25(h)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area.	31(4)(a)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Aug 04, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 04, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
34(4) Despite sections 9 and 10, one educator is required for each of the following groups of children accessing a private pool, a public pool or a public swimming area while receiving services at a licensed facility: (a) one infant; (b) four preschool children or fewer; (c) eight school-age children or fewer; and (d) five children of mixed ages or fewer, if at least two of these children are school-age children.	34(4)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			
49(1) An operator of a licensed facility shall ensure that the guidance of the children receiving services at the licensed facility is positive and includes positive reinforcement, encouraging efforts and recognizing accomplishments.	49(1)	Jul 21, 2022	Sep 15, 2022
Comments: Deficiency is now compliant			

General Comments

Upon arrival there was a noticeable difference with regards to noise levels and organization within the facility. Positive child guidance was evident with each age group, educators were engaged and approached children in

General Comments

a developmentally appropriate and positive way.

The program plan was written and there was evidence that it was being completed in each age group served.

Staff files were complete.

There were notice to inform parents of illnesses on the door before entry. Operator is now keeping them on file.

Rest area is now in approved areas. The play pen has been removed from the kitchen.

There were more centres set up in the outdoor play space. The play structure which is located outside the fence is not meeting regulations. The surfacing is currently not meeting 30cm around the structure and in the encroachment zones. The administrator stated that they will not use it until regulations have been met.

The administrator stated that the children did not return to the pool after the renewal inspection as they could not meet the 1:8 ratio.

Toxic products were locked up at time of visit.

All personal belongings are now labelled with the name of each child.

I can now recommend facility for licensing pending a current Fire and Health inspection.

original signed by
Tanya Gaudet

Signature of Early Learning and Childcare Licensing Staff

November 01, 2022

Date

Signature of Operator/Designate

Date